

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION – PRECAUTION**

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling.

**For Chemical Spill, Leak, or Exposure, Call CHEMTREC (800) 424-9300
For Medical Emergencies Only, Call (877) 325-1840**

FIRST AID

IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
-------------------	--

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment wash water or rinsate.

PHYSICAL OR CHEMICAL HAZARDS

Spray solutions of this product should be mixed, stored and applied using only stainless steel, aluminum, fiberglass, plastic or plastic-lined steel containers.

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

Manufactured By:



**230 FM 87 • BONHAM, TX 75418
EPA Reg. No. 228-509-7401
EPA Est. No. 7401-TX-01
Visit Us At: www.fertilome.com**



ferti·lome®



Double Play
Weeds'em Out • Keeps'em Out
**Pre-Emergent & Post-Emergent
Weed & Grass Control**

- **Dual action formula**
- **Quart covers up to 10,667 sq. ft.**
- **Makes up to 10 gallons of spray.**

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE INSIDE BOOKLET FOR FIRST AID AND ADDITIONAL
PRECAUTIONARY STATEMENTS

ACTIVE INGREDIENTS:

Glyphosate, N-(phosphonomethyl) glycine, in the form of its isopropylamine salt*	40.15%
Prodiamine**	7.51%
OTHER INGREDIENTS:	52.34%
TOTAL:	100.00%

* Contains 480 grams per liter or 4.0 pounds per U.S. gallon of the active ingredient glyphosate, in the form of its isopropylamine salt. Equivalent to 356 grams per liter or 2.97 pounds per U.S. gallon of the acid, glyphosate.
**Equivalent to 90 grams per liter or 0.75 pounds per U.S. gallon of Prodiamine.

Net Contents One Quart (32 FL. OZS.)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner that is inconsistent with its labeling. **READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.**

Stay off treated areas until sprays have dried. Precautions should be taken to prevent tracking product after application onto desirable grasses.

SHAKE WELL BEFORE USING.

GENERAL INFORMATION

WHERE TO USE

Apply this product to both established weeds and weed-prone areas where weeds have not yet emerged:

- on cracks and crevices in driveways, sidewalks, walkways, and patios
- along fences, foundations, curbs, retaining walls, and edges of lawns
- around the base or in mulched beds of well-established (at least 6 months old) plants, shrubs, or tree
- on gravel areas

HOW THIS PRODUCT WORKS

Important: To prevent new weeds and grasses from growing you must spray the entire area you want to control, not just the emerged weeds.

This product works two ways:

1. One ingredient enters the plants through foliage and moves systemically to the roots, killing weeds by stopping the production of a substance found in plants. Weeds begin to yellow and wilt in a matter of days with complete kill in 1 to 2 weeks.

2. The other ingredient provides an invisible barrier in the soil by preventing growth and development of newly germinated weeds.

USE PRECAUTIONS

- Do not spray desirable plants.
- Do not use in lawns or for lawn renovations as this product prevents desirable grass establishment.
- Do not use for vegetable garden preparations or in and around fruits and vegetables.
- Do not spray around young plants or in an area that will be planted or seeded for 6 months after application when applying at the 3 oz. per 1,000 sq. ft. use rate.

APPLICATION

When to Apply

Spray when air is calm to prevent drift to desirable plants. For best results, apply during warm, sunny weather (above 60°F).

WEEDS CONTROLLED

Pre-Emergent:

When used as directed, this product will prevent the following weeds from emerging:

Barnyardgrass	Cupgrass, woolly	Lambsquarters, common
Bluegrass, annual (<i>Poa annua</i>) ¹	Foxtails, annual	Lovegrass
Carpetweed	Goosegrass	Panicum, (Texas, fall, browntop)
Chickweed, common ²	Henbit ¹	Pigweed
Chickweed, mouse-ear (from seed)	Itchgrass	Purslane, common
Crabgrass (large, smooth)	Johnsongrass (from seed)	Pusley, Florida
Crowfootgrass	Junglerice	Rescuegrass ²
	Knotweed ¹	Shepherdspurse ¹
	Kochia	

Signalgrass, broadleaf
Speedwell, Persian
Sprangletop

Spurge, prostrate
Witchgrass

Woodsorrel, yellow
(from seed)

¹To control this weed in non-turf areas, apply this product in late summer, fall, or winter before weeds germinate.

² Suppression only.

Post-Emergent Non-Selective:

ANNUAL WEEDS

Barley	Goatgrass, jointed	Pusley, Florida
Barnyardgrass	Goosegrass	Rice, red
Bluegrass, annual	Groundsel, common	Rocket, London
Bluegrass, bulbous	Henbit	Rye
Brome, downy	Horseweed/Marestail	Ryegrass, Italian
Buttercup	Johnsongrass, seedling	Shattercane
Cheat	Lambsquarters, common	Shepherdspurse
Chickweed, common	Morningglory	Sicklepod
Chickweed, mouse-ear (from seed)	Mustard, blue	Signalgrass, broadleaf
Cocklebur	Mustard, tansy	Spanishneedles
Corn	Mustard, tumble	Sprangletop
Crabgrass	Mustard, wild	Spurge, annual
Dwarf dandelion	Oats, wild	Spurry, umbrella
False flax, smallweed	Panicum, fall	Stinkgrass
Filaree	Panicum, Texas	Teaweed
Foxtail	Pennycress, field	Wheat
Foxtail, Carolina	Pigweed, redroot	Witchgrass
Geranium, Carolina	Pigweed, smooth	
	Primrose, cutleaf evening	

PERENNIAL WEEDS

Alfalfa	Dandelion	Pampasgrass*
Alligatorweed*	Dock, curly	Paragrass
Anise (fennel)	Dogbane, hemp	Phragmites*
Artichoke, Jerusalem	Fescue, tall	Poison hemlock
Bahiagrass	Fescues	Quackgrass
Bentgrass	Guinea grass	Redvine*
Bermudagrass	Horsenettle	Reed, giant
Bermudagrass, water (knotgrass)	Horseradish	Ryegrass, perennial
Bindweed, field	Ice Plant	Smartweed, swamp
Bluegrass, Kentucky	Johnsongrass	Spurge, leafy*
Bluegrass, Texas	Kikuyugrass	Starthistle, yellow
Brackenfern	Knapweed	Sweet potato, wild*
Bromegrass, smooth	Lantana	Thistle, artichoke
Bursage, woollyleaf	Lespedeza	Thistle, Canada
Canarygrass, reed	Milkweed	Timothy
Cattail	Muhly, wirestem	Torpedograss*
Clover, red	Mullein, common	Trumpet creeper*
Clover, white	Napiergrass	Vaseygrass
Cogongrass	Nightshade, silverleaf	Velvetgrass
Dallisgrass	Nutsedge; purple, yellow	Wheatgrass, Western
	Orchardgrass	

*Partial Control

TANK SPRAYER (plastic, aluminum, fiberglass, plastic-lined steel or stainless steel)

- Add 3 to 6 fluid ounces to 1 gallon of water and treat 1,000 sq. ft.
- For longer pre-emergent control and post-emergent control of larger weeds use the higher rate.

Do not apply with a galvanized or unlined steel (except stainless steel) sprayer, or through and irrigation system.

HOW TO APPLY

Spray existing weeds AND the entire surrounding weed-prone area you want to keep free of weeds. Spray the area with sufficient volume to assure complete coverage. When spraying around the base of well-established (at least 6 months old) ornamental plants, shrubs, or trees, shield desirable plants from drift with a sheet or cardboard or plastic. Use caution to prevent application to green stems and leaves, damage can occur.

WHEN TO REPLANT

All ornamental bedding plants, trees, shrubs, sod, and seed (flowers and grasses) may be planted 6 months after application when applying at the 3 oz. per 1,000 sq. ft. use rate or 12 months when applying at the 6 oz. per 1,000 sq. ft. use rate.

HOW TO CLEAN SPRAYER

To clean sprayer after use, rinse sprayer and all sprayer parts with soap and water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used for other products.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: STORE ABOVE 10°F (-12°C) TO KEEP PRODUCT FROM CRYSTALLIZING. Crystals will settle to the bottom. If allowed to crystallize, place in a warm room 68°F (20°C) for several days to redissolve and shake or roll to mix well before using.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully. TO THE EXTENT CONSISTENT APPLICABLE WITH LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE STATUTORY, OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVNESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND CONTROL OF THE MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDIMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR RISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL, WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURE OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of the directions for use, the warranty disclaimers, or limitations on liability, do not use this product, and return it unopened to the Seller, and the purchase price will be refunded.

Local Solutions For Local Problems™



For More Lawn and Garden Products Visit fertilome.com



ferti-lome®

Double Play

Manufactured By:



230 FM 87 • BONHAM, TX 75418

EPA Reg. No. 228-509-7401

EPA Est. No. 7401-TX-01

Visit Us At: www.fertilome.com

