



ferti·lome®



# Liquid Carbaryl Garden Spray

**Home & Garden Insecticide**

- Can be used on listed ornamentals, trees, fruits & vegetables
- 4 teaspoons makes 1 gallon of spray

**KEEP OUT OF REACH  
OF CHILDREN**

**CAUTION**

SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS

ACTIVE INGREDIENT:

Carbaryl: (1-naphthyl N-methyl-  
carbamate)..... 23.7%

INERT INGREDIENTS: ..... 76.3%

TOTAL: ..... 100.0%

**Net Contents One Quart (32 FL. OZS.)**

ferti•lome® Liquid Carbaryl Garden Spray

5M-2-0412 FH

### FIRST AID

**If Swallowed:**

- Call a Poison Control Center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the Poison Control Center or doctor.
- Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

**NOTE TO PHYSICIAN:** Carbaryl contains an N-methyl carbamate that inhibits cholinesterase. Atropine is antidotal. DO NOT use 2-PAM, opiates or cholinesterase-inhibiting drugs.

In the event of a medical or chemical emergency, contact  North America 1-800-255-3924 or Worldwide Intl. + 01-813-248-0585

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed. Wear long sleeved shirt, long pants, socks and shoes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash before reuse.

Manufactured By:



230 FM 87

BONHAM, TEXAS 75418

EPA Reg. No. 7401-38

EPA Est. No. 7401-TX-1

Visit Us At: [www.fertilome.com](http://www.fertilome.com)



 PEEL FROM CORNER OF BOOKLET



## ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water or allow drift to water. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

**BEE CAUTION:** MAY KILL HONEYBEES AND OTHER BEES. This product is highly toxic to honeybees and other bees. Do not apply to plants in bloom.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**READ ALL DIRECTIONS FOR USE AND PRECAUTIONARY STATEMENTS BEFORE USING.**

### Restrictions

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application.
- Do not allow people or pets to enter the treated area until sprays have dried.
- For outdoor use only.
- Food utensils such as teaspoons & tablespoons may not be used for food purposes after use with pesticides.
- Not for use on plants grown for sale, commercial use, research, or

- for commercial seed production.
- Use on lawns is prohibited.

## 1. WHAT IS THIS PACKAGE FOR?

**ferti-lome® Liquid Carbaryl Garden Spray** is an easy to use Insecticide for use on Home Ornamentals, Fruit Trees, and Vegetables.

## 2. HOW DO YOU USE IT?

SHAKE WELL BEFORE USING. Mix 4 teaspoons per gallon of finished spray using a pump-type sprayer. Apply when air is calm. Start spraying at the farthest corner of the treatment area and work backward to avoid contact with wet surfaces. Allow spray to dry in treated areas before reentering. For trees taller than 10 feet, consider hiring a licensed professional. Do not apply if leaf surfaces are inaccessible. Spray thoroughly to wet upper and lower leaf surfaces, stems, and branches. Apply when insects or damage appear. Repeat as necessary to maintain control, following the specified restrictions or use listed for the specific use site. Use on Ornamental flowers (including roses), shrubs and trees. Mix 4 teaspoons per gallon of finished spray. Kills **ANTS** (except harvester ants, pharaoh ants and carpenter ants), **Apple Aphid, Armyworm, Azalea Leafminer, Bagworms, Birch Leafminer, Blister Beetle, Cutworms, Fuller Rose Beetle, Grasshoppers, Japanese Beetle, Leafhoppers, Mealybugs, certain Leafminers, Rose Aphid, Rose Chafer, Scale Insects, Tent Caterpillar and Webworms.**

Repeat applications as necessary up to 4 times per year for trees and 6 times per year for ornamental shrubs and flowers, but not more than once every 7 days.

**VEGETABLES:** Mix 4 teaspoons per gallon of finished spray. Spray thoroughly to wet upper and lower leaf surfaces, stems and branches. Follow Pre-Harvest Intervals (PHI) listed in ( ) following each individual Crop and Plant and maximum number of applications per

year listed in the following [ ]. ASPARAGUS (1) [3], CABBAGE (3) [4], BROCCOLI (3) [4], BRUSSELS SPROUTS (3) [4], CAULIFLOWER (3) [4], RADISHES (7) [6], CARROTS (7) [6], CELERY (14) [5], CORN (2) [8], CUCUMBER (3) [6], MELONS (3) [6], PUMPKIN (3) [6], SQUASH (3) [6], HEAD LETTUCE and LEAF LETTUCE (14) [5], OKRA (3) [7], POTATO (7) [6], TOMATO (3) [7], EGGPLANT (3) [7], PEPPER (3) [7]. Do not repeat applications more than once a week. Kills these listed Insects: Beetles, Armyworms, Cutworms, European Corn Borer, Tarnished Plant Bug, Leafhoppers, Grasshoppers, Harlequin Bug, Chinch Bugs, Stink Bugs, Tomato Hornworms.

**FRUIT AND CITRUS TREES SPECIFICALLY:** GRAPEFRUIT, LEMONS, LIMES, ORANGES, and TANGERINES (5). APPLES, PEACHES, APRICOTS, NECTARINES, PLUMS and CHERRIES (3), mix 4 teaspoons of **ferti-lome® Liquid Carbaryl Garden Spray** per gallon of finished spray. For Trees taller than 10 feet, consider hiring a licensed professional. Do not repeat applications more than once a week and no more than 8 times per year.

Kills Apple Aphid, Apple Maggot, Bagworms, Tent Caterpillars, Gypsy Moth, Japanese Beetle, Codling Moth, Cucumber Beetles, Fruit Tree Leafrollers, Lesser Peach Tree Borer, Plum Curculio, Red-Banded Leafroller, Citrus Cutworm, Orange Tortrix, and Scale.

**FRUITS SPECIFICALLY:** Blueberries, Grapes, Raspberries, and Strawberries (7), mix 4 teaspoons of **ferti-lome® Liquid Carbaryl Garden Spray** per gallon of finished spray. Kills Apple Aphids, Beetles, Blueberry Maggot, Codling Moth, Cutworms, Leafhoppers, Leafrollers, Citrus Cutworms, and Tent Caterpillars. Do not repeat applications more than once a week and no more than 5 times per year.



### 3. HERE ARE THE RESULTS YOU MAY EXPECT!

**ferti-lome® Liquid Carbaryl Garden Spray** used according to directions kills listed insects on listed ornamentals, fruits and vegetables.

#### **STORAGE AND DISPOSAL**

**STORAGE:** Keep out of reach of children and pets. Store in original containers only. Store in cool, dry place above freezing temperature and avoid excess heat.

**DISPOSAL: Non-refillable container. If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If Partly Filled:** Call your Local Solid Waste Agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith. Voluntary Purchasing Groups, Inc. warrants this product to conform to the chemical description on the label and for the purposes stated on the label. The limit of any liability incurred shall be the purchase price paid by the User or Buyer.

This page left blank intentionally.

This page left blank intentionally.



This page left blank intentionally.



## Liquid Carbaryl Garden Spray

Manufactured By:




230 FM 87 • BONHAM, TX 75418

EPA Reg. No. 7401-38

EPA Est. No. 7401-TX-01

Visit Us At: [www.fertilome.com](http://www.fertilome.com)



Get the free mobil app at  
<http://gettag.mobi>

