



**ferti·lome**®



# Weed-Out® Lawn Weed Killer

**Ready To Use**

**Contains TRIMEC® Herbicide**

- *Controls a wide range of broadleaf weeds and all.*

**ACTIVE INGREDIENTS:**

2, 4-D, dimethylamine salt.....	0.60%
Mecoprop-p, dimethylamine salt.....	0.14%
Dicamba, dimethylamine salt.....	0.07%
OTHER INGREDIENTS:.....	99.19%
TOTAL:.....	100.00%

**KEEP OUT OF REACH  
OF CHILDREN**

**CAUTION**

SEE BACK PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS AND FIRST AID

**-KEEP FROM FREEZING-**

See back panel for substatement of ingredient statement.

**Net Contents One Quart (32 FL. OZS.)**

Ferti-lome® Weed Out Lawn Weed Killer Ready-To-Use

### Substatement of Ingredient Statement

THIS PRODUCT CONTAINS:

0.50% 2,4-dichlorophenoxyacetic acid equivalent.

0.12% (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent.

0.05% 3,6-dichloro-o-anisic acid equivalent.

Isomer Specific by AOAC Methods.

Contains the single isomer from from Mecoprop-p.

Trimec® is a registered TRADEMARK OF PBI/GORDON CORPORATION.

2,4-D, DIMETHYLAMINE SALT (CAS REGISTRY NO. 2008-39-1)

MECOPROP-P, DIMETHYLAMINE SALT (CAS REGISTRY NO. 66423-09-4)

DICAMBA, DIMETHYLAMINE SALT (CAS REGISTRY NO. 2300-66-5)

**STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if absorbed through skin. Harmful if swallowed. Avoid contact with skin, eyes, or clothing. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Wear long-sleeved shirt, long pants, socks, shoes, and gloves. Remove and wash contaminated clothing before reuse.

Manufactured By:



230 FM 87 • BONHAM, TEXAS 75418

EPA Reg. No. 2217-537-7401 • EPA Est. No. 7401-TX-001

Visit Us At: [www.fertilome.com](http://www.fertilome.com)

5M-1-0412



7 32221 10508 9

PEEL FROM CORNER OF BOOKLET



Manufactured By:



230 FM 87 • Bonham, Texas 75418  
EPA Reg. No. 2217-537-7401  
EPA Est. No. 7401-TX-1  
Visit Us At: [www.fertilome.com](http://www.fertilome.com)  
5M-1-0412-RTUH




**READ THE ENTIRE LABEL FIRST.  
OBSERVE ALL PRECAUTIONS AND FOLLOW  
DIRECTIONS CAREFULLY**

#### FIRST AID

<b>If in eyes:</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
<b>If on skin or clothing:</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
<b>If swallowed:</b>	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

In the event of a medical or chemical emergency, contact   
North America 1-800-255-3924 or Worldwide Intl. + 01- 813-248-0585

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### PRECAUTIONS AND RESTRICTIONS

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.
- Do not exceed specified dosage. This product is intended for spot spraying individual weeds only.
- Do not apply as a fine mist because of potential for injury to desirable plants.
- Do not use this product on or near desirable plants, including contact of spray on exposed root systems or adventitious shoots within the drip line of desirable trees and shrubs, since injury may result.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Store in original container in a locked storage area inaccessible to children and pets.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. **If Empty** - Do not reuse this container. Place in trash or offer for recycling if available. **If Partly Filled** - Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## WHAT IT IS AND HOW TO USE IT

This product contains Trimec® Turf Herbicide, a combination of three proven Weed Killers, 2,4-D, Mecoprop-p and Dicamba. Together they control a wide range of Broadleaf Lawn Weeds; some of which are listed on this label.

Use to "spot-treat" Weeds in the Lawn. For best results, apply when Weeds are actively growing. Do not water within 24 hours after spraying. Use as is. Do not mix. Do not dilute. Aim at Weed and spray. Only a short burst is needed. Overspraying only wastes the product and may cause damage to Grasses such as Centipedegrass, St. Augustinegrass, and Floratam. Effects begin to show after a few days and Weeds gradually die. Up to 4 weeks may be required for complete kill. Repeat in 30 days if necessary. The number of spot treatments is limited to 2 per year.

For Lawns with many Weeds, requiring an overall treatment, spray with this product, a concentrate you'll have to mix with water in your hose end or hand operated sprayer.

### CONTROLS • WEEDS •

Annual Yellow	Blue Lettuce	Canada Thistle
Sweetclover	Blue Vervain	Carolina Geranium
Aster	Bracted Plantain	Carpetweed
Austrian Fieldcress	Bristly Oxtongue	Catchweed Bedstraw
Bedstraw	Broadleaf Dock	Catnip
Beggarticks	Broadleaf Plantain	Catsear
Betony, Florida	Broomweed	Chickweed, common
Bindweed, field	Buckhorn	Chickweed, mouseear
Bird Vetch	Buckhorn Plantain	Chicory
Bitter Wintercress	Bulbous Buttercup	Cinquefoil
Bittercress, hairy	Bull Thistle	Clover, crimson
Bitterweed	Bullnettle	Clover, hop
Black-eyed Susan	Burclover	Clover, red
Black Medic	Burdock	Clover, strawberry
Black Mustard	Burning Nettle	Clover, sweet
Blackweed Plantain	Burweed	Clover, white
Blessed Thistle	Buttercup	Cockle
Bloodflower Milkweed	Buttonweed	Cocklebur

• WEEDS •

(Continued)

Common Mullein	Jimsonweed	Poorjoe
Creeping Jenny	Knawel	Prairie Sunflower
Cudweed	Knotweed	Prickly Lettuce
Curly Dock	Kochia	Prickly Sida
Daisy, English	Lambsquarters	Prostrate Knotweed
Daisy, Fleabane	Lespedeza	Prostrate Pigweed
Daisy, oxeye	Mallow	Prostrate Spurge
Dandelion	Matchweed	Prostrate Vervain
Dichondra	Mexicanweed	Puncturevine
Dogfennel	Milk Vetch	Purslane, common
Dollarweed	Morningglory	Ragweed
False Dandelion	Mouseear Hawkweed	Red Sorrel
Falseflax	Mugwort	Redroot Pigweed
False Sunflower	Musk Thistle	Redstem Filaree
Fiddleneck	Mustard	Rough Cinquefoil
Florida Pusley	Narrowleaf Plantain	Rough Fleabane
Frenchweed	Narrowleaf Vetch	Russian Pigweed
Galinsoga	Nettle	Russian Thistle
Goldenrod	Orange Hawkweed	Scarlet Pimpernel
Ground Ivy	Oriental Cocklebur	Scotch Thistle
Gumweed	Oxalis	Sheep Sorrel
Hairy Fleabane	Parsley-piert	Shepherdspurse
Hawkweed	Parsnip	Slender Plantain
Healall	Pearlwort	Smallflower
Heartleaf Drymary	Pennycress	Galinsoga
Heath Aster	Pepperweed	Smooth Dock
Hedge Bindweed	Pigweed	Smooth Pigweed
Hedge Mustard	Pineywoods Bedstraw	Sorrel
Henbit	Plains Coreopsis	Sowthistle
Hoary Cress	Plantain	Spanishneedles
Hoary Plantain	Poison Ivy	Speedwell
Hoary Vervain	Poison Oak	Spiny Amaranth
Horsenettle	Pokeweed	Spiny Cocklebur

• WEEDS •

*(Continued)*

Spiny Sowthistle	Venice Mallow	Wild Onion
Spotted Catsear	Virginia Buttonweed	Wild Parsnip
Spotted Spurge	Virginia Creeper	Wild Radish
Spurweed	Virginia Pepperweed	Wild Rape
Stinging Nettle	Wavyleaf Bullthistle	Wild Strawberry
Strawberry, India mock	Western Clematis	Wild Sweet Potato
Tall Nettle	Western Salsify	Wild Vetch
Tall Vervain	White Mustard	Woodsorrel
Tansy Ragwort	Wild Aster	Woolly Croton
Tansy Mustard	Wild Buckwheat	Woolly Morningglory
Tanweed	Wild Carrot	Woolly Plantain
Thistle	Wild Four-o'clock	Wormseed
Trailing Crownvetch	Wild Garlic	Yarrow
Tumble Mustard	Wild Geranium	Yellow rocket
Tumble Pigweed	Wild Lettuce	Yellowflower
Velvetleaf	Wild Marigold	Pepperweed and other broadleaf weeds
	Wild Mustard	

## **LIMITED WARRANTY AND DISCLAIMER**

The Manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions For Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This Limited Warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the Manufacturer or the Seller. Any damages arising from a breach of the Manufacturer's Warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the Seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.