

Hi-Yield®

Kill-A-Bug II™ LAWN GRANULES

**UP TO *FOUR WEEKS*
RESIDUAL CONTROL!**



Tick



Cockroach



Grasshopper



Chinch Bug



Fire Ant



Armyworm



Cricket



Spider

- Controls Home Invading Insects
- Kills Insects Plus Fire Ants In Lawns
- Controls Surface And Foliage Feeding Pests
- Treats Up To 5,000 Sq. Ft.

ACTIVE INGREDIENT:

†Permethrin..... .5%

INERT INGREDIENTS:..... 99.5%

TOTAL:..... 100.0%

†(3-phenoxyphenyl) methyl (±) cis/trans 3-(2,2-dichloroethenyl)
2,2-dimethylcyclopropanecarboxylate, Cis/trans ratio: Maximum
55% (±) cis and minimum 45% (±) trans.

KEEP OUT OF REACH OF CHILDREN

CAUTION

**See Back Label Panel For Additional
Precautionary Statements.**

NET WEIGHT 10 LBS. (4.54 KG)

32315

- **Controls Home Invading Insects**
- **Kills Insects Plus Fire Ants In Lawns**
- **Controls Surface And Foliage Feeding Pests**
- **Treats Up To 5,000 Sq. Ft.**

ACTIVE INGREDIENT:

†Permethrin..... .5%

INERT INGREDIENTS:..... 99.5%

TOTAL: 100.0%

†(3-phenoxyphenyl) methyl (±) cis/trans 3-(2,2-dichloroethenyl)
2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: Maximum
55% (±) cis and minimum 45% (±) trans.

KEEP OUT OF REACH OF CHILDREN

CAUTION


**See Back Label Panel For Additional
Precautionary Statements.**

NET WEIGHT 10 LBS. (4.54 KG)

32315

FIRST AID

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

If Swallowed	<ul style="list-style-type: none">• Call a Poison Control Center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by the Poison Control Center or doctor.• Do not give anything by mouth to an unconscious person.
If In Eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a Poison Control Center or doctor for treatment advice.
If On Skin Or Clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a Poison Control Center or doctor for treatment advice.
If Inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a Poison Control Center or doctor for treatment advice.
In the event of a medical or chemical emergency, contact  North American 1-800-255-3924 or Worldwide Intl. +01-813-248-0585	

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will prevent run off to water bodies or drainage systems. **NOTE:** Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith. Voluntary Purchasing Groups, Inc. warrants this product to conform to the chemical description on the label and for the purposes stated on the label. The limit of any liability incurred shall be the purchase price paid by the User or Buyer.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial seed production or research purposes.

HI-YIELD® KILL-A-BUG II LAWN GRANULES is recommended for the control of Lawn Insects, Fleas, and Ticks outdoors in residential areas. Repeated applications are made by broadcast treatment with a spreader to lawns, under Shrubbery, and other Ornamental and Turf Grass areas; band treatments are recommended around house foundation and spot applications are made to Ant mounds and Wasp nests.