

- - 2 tablespoons makes 1 gallon of spray
- For use on roses, flowers, houseplants, ornamental trees & shrubs, fruits, nuts & vegetables
 - For use in & around the home & garden

KEEP OUT OF REACH

ACTIVE INGREDIENT:

ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS ONE PINT (16 FL. OZS. / 473 ML)

FIRST AID	
If In Eyes:	Hold eye open and rinse slowly and gently with water for
	15-20 minutes. Remove contact lenses, if present, after
	the first 5 minutes, then continue rinsing eye.
1	Call a poison control center or doctor for freatment advice

If On Skin Take off contaminated clothing. Rinse skin immediately Or Clothing:

with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison

control center or doctor, or going for treatment. In the event of a medical or chemical emergency, contact North America 1-800-255-3924 or Worldwide Intl. + 01-813-248-0585

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

Manufactured By: Voluntari 230 FM 87 BONHAM, TEXAS 75418 EPA Reg. No. 70051-2-7401 EPA Est. No. 7401-TX-01 www.fertilome.com

Questions? 855-270-4776

BEE HAZARD

This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION

- Do not add adjuvants (spreaders, stickers, extenders, etc.) to Natural Guard by ferti •lome® Neem.
- . Stops Powdery Mildew in 24 hours.
- · Shake well before using.
- . Kills eggs, larvae and adult insects.
- Prevents and controls Black Spot on Roses, Anthracnose, Rust and Powdery Mildew.
- For optimal performance, do not mix with cold water (less than 45° F)
- Do not apply to wilted or otherwise stressed plants, or to newly transplanted materials or crops prior to root establishment.
- Do not apply to known sensitive plant species, such as Impatiens flowers, Fuchsia flowers, Hibiscus flowers, some Rose flowers, ornamental Olive trees, or some Carnation varieties without prior testing.
- May also be used as a dormant or delayed dormant spray to control overwintering eggs of various insects on fruit and shade trees, shrubs, Roses, and other ornamentals and vegetables. Spray to visibly wet or until all plant surfaces are completely wet.
- As with other oil-based products, exercise care in timing applications to early morning/late evening to minimize the potential for leaf burn.
- . Can be used as a leaf polish on hardy plants.
- Use care on plants with tender tissue. Check for leaf burn in small scale trials prior to use.

FUNGICIDE USE

FOR USE ON FRUITS, NUTS, VEGETABLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOWERS, TREES AND SHRUBS.

APPLICATION INSTRUCTIONS: Natural Guard by ferti-lome® Neem is an effective fungicide for the prevention and control of various fungal diseases including Powdery Midew, Black Spot, Downy Middew, Anthracnose, Rust, Leaf Spot, Botrytis, Needle Rust, Scab, and Flower, Twig, Blight, and Alternaria. As a preventative, apply Natural Guard by ferti-lome® Neem on a 7 to 14 day schedule until the potential for disease development is no longer present. To control disease already present, apply Natural Guard by ferti-lome® Neem on a 7 day schedule until disease pressure is eliminated. Then continue spraying on a 14 day schedule to prevent the disease from recocurring, To prevent Rust Leaf Spot Diseases, Anthracnose and Scab, begin applications at the first sign of spring budding. To prevent Powdery Mildew, apply in mid-summer or when disease is first detected. Continue applications until disease pressure no longer exists.

MIXING INSTRUCTIONS: Natural Guard by ferti-lome® Neem at the rate of 2 tablespoons (1 fl. oz.) per gallon of water. Thoroughly mix solution, and spray all plant surfaces (including undersides of leaves) until completely wet. Frequently mix solution as you spray.

INSECTICIDE/MITICIDE USE

For use on Fruits, NUTS, VEGETABLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOWERS, TREES AND SHRUBS.

APPLICATION INSTRUCTIONS: Apply Natural Guard by ferti-lonne® Neem tirst sign of insects/Mites. For control of Aphids, Spider Mites, Scale, Whiteflies, Beetles, Leafrollers, and other insect pests. Natural Guard by ferti-lonne® Neem is most effective when applied every 7 to 14 days. For heavy insect populations, spray on a 7 day schedule.

MIXING INSTRUCTIONS: Mix Natural Guard by ferti*lome® Neem at the rate of 2 tablespoons (1 fl. o.z.) per gallon of water. Thoroughly mix solution, and spray all plant surfaces (including undersides of leaves) until completely wet. Frequently mix solution as you spray.

STORAGE AND DISPOSAL

Pesticide Storage: Keep in original container. Store away from direct sunlight, feed, or food stuffs. Keep container tightly sealed when not in use. Keep from freezing.

Pesticide And Container Disposal: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY DISCLAIMER

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. SELLER MAKES NO OTHER EXPRESS NOR IMPLIES WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OF ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Manufactured By:

VPG

**Volumentary

**Groups, Inc.

230 FM 87 * BONHAM, TEXAS 75418

EPA Reg. No. 70051-2-7401

EPA Est. No. 7401-TX-01

Visit Us At: www.lertilome.com

Product Questions? 855-270-4776

40712-0415-CL

