

# ferti-lome

## **Broad Spectrum** Insecticide

### Ready To Use

- For Use on Lawns, Ornamentals, Listed Garden Vegetables & Fruit Trees • Covers Up To 2,667 Sq. Ft.
  - For Residential Use Only.

## **KEEP OUT OF REACH OF CHILDREN**

PRECAUTIONARY STATEMENTS

## ACTIVE INGREDIENT:

Bifenthrin\* ...... 0.3% 

\*Cis isomers 97% minimum, trans isomers 3% maximum

NET CONTENTS ONE QUART (32 FL. OZ. / 946ML)

#### FIRST AID

Have the product container or label with you when calling Poison Control Center or doctor, or going for treatment.

In the event of a medical or chemical emergency, contact North America 1-800-255-3924 or Worldwide Intl. + 01-813-248-0585

lt	In	Ŀу	е

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye.
- Call a Poison Control Center or doctor for treatment advice.

#### Swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow
- Do not induce vomiting unless told to do so by the poison control center or doctor
- Do not give anything by mouth to an unconscious person

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing oum, or using tobacco.

#### ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate. Care should be used when spraying to avoid fish and reptile pets indround ornamental ponds.



230 FM 87 • BONHAM, TEXAS 75418 EPA Reg. No. 53883-185-7401 EPA Est. No. 7401-TX-01 Visit Us At: www.fertilome.com xxM-2-0912 RTUH



This product is highly toxic to bees exposed to direct treatment or residues on blooming plants or weeds. Do not apply this product or allow it to drift to blooming plants if bees are visiting the treatment area.

#### PHYSICAL OR CHEMICAL HAZARDS

Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. People and pets may enter treated areas after spray has dried.

Use Areas: Include the following areas: localized areas of floor coverings, cracks and crevices in walls and along baseboards, beneath and behind refrigerators, stoves, sinks and cabinets, around plumbing pipes and fixtures, garbage cans and waste storage areas, window frames and doorways, porches and patios, eaves, exterior siding and foundations, in cabinets/pantries and other areas inside or outside the home where listed insects exist.

Pests Controlled: Ants (including Carpenter Ants and foraging Fire Ants and Harvester Ants), Boxelder Bugs, Carpet Beetles, Centipedes, Clover Mites, Crickets, Earwigs, Firebrat, Fleas, Flies (including Houseflies), Grasshoppers, Millipedes, Mosquitos, Moths, Confused Flour Beetle, Granary Weevil, Indian Meal Moth, Red Flour Beetle, Rice Weevil, Saw-Toothed Grain Beetle, Rosehes, Scorpions, Silverfish, Sowbugs (Pillbugs), Spiders (including Black Widow, Brown Recluse and Daddy Long Legs Spiders), Ticks (including Ticks that may transmit Lyme Disease), and other insects that may be found in the use areas.

#### **HOW TO USE**

Make sure container is securely closed and **shake well before use**. Adjust spray nozzle to deliver a stream for cracks and crevices or a coarse spray for other areas. Hold sprayer 12 inches from the insect or surface being sprayed. Use only for crack and crevice and/or spot treatment in indoor use areas. Do not spray into the air. Spray until slightly wet without soaking. Do not allow this product to contact food, foodstuffs, food preparation areas or utensils and water supplies.

#### INDOOR APPLICATIONS

Use fertiolome® BROAD SPECTRUM INSECTICIDE RTU to control Ants (including Carpenter Ants and foraging Fire Ants and Harvester Ants), Carpet Beetles, Crickets, Earwigs, Firebrats, Fleas, Flies (including Houseflies), Mosquitos, Moths, Roaches,

Scorpions, Silverfish, Spiders (including Black Widow, Brown Recluse and Daddy Long Legs Spiders) and Ticks (including Ticks that transmit Lyme Disease).

#### Sprav

- . Corners of rooms & closets
- · Cracks and crevices in walls
- · Along baseboards
- . Beneath & behind refrigerators, stoves, sinks & cabinets
- Around plumbing
- · Around doors & window frames

#### Fleas & Ticks (including Ticks that may transmit Lyme Disease)

Remove pets from the areas to be treated and do not allow back into the treated areas until the spray has dried.

**DO NOT TREAT PETS WITH THIS PRODUCT.** To control the source of flea infestation, pets inhabiting the treated premises should themselves be treated with a product registered for application to animals.

Spot Treat infested areas such as pet resting areas and other localized areas of floor covering where fleas and ticks may be present. Remove and replace old pet bedding with clean fresh bedding after treating for fleas and ticks in the pet area.

#### Pantry Pests

Remove all items from cabinets/pantries. While removing, inspect all food items, especially dried food products, and dispose of any infested items. Clean cabinets/ pantries thoroughly. Spray cracks and crevices along shelves in cabinets/pantries. After spray has dried thoroughly, replace only non-infested items.

#### **OUTDOOR APPLICATIONS**

Use FERTI-LOME BROAD USE INSECTICIDE RTU to control Ants (including Carpenter Ants, Foraging Fire Ants, and Harvester Ants), Boxelder Bugs, Centipedes, Clover Mites, Crickets, Earwigs, Fleas, Flies (including Houseflies), Grasshoppers, Millipedes, Mosquitoes, Moths, Roaches, Scorpions, Sowbugs (Pillbugs), Spiders (including Black Widow, Brown Recluse & Daddy Long Leg Spiders), Ticks (including Ticks that may transmit Lyme Disease) and other insects that may be a problem.

#### Spray:

- Garbage cans & waste storage areas
- Window frames & doorways
- · Surfaces around light fixtures
- · Cracks and crevices around porches and patios
- Eaves
- · Exterior siding
- Foundations
- · Localized infestations in weeds or around ornamental plants

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original containers only. Store in cool, dry place and avoid excess heat. Carefully open containers. After partial use close tightly.

In case of spill: Avoid contact, isolate area and keep out animals and unprotected persons. Confine spills.

To confine spill: Cover to prevent dispersal. Place damaged package in a holding container and identify contents.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spilled bait, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Penticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance.

Container Disposal: Non-refillable container. Do not reuse or refill this container. Empty container through use according to label instructions. Offer for recycling, if available. If recycling is not available, then dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.

Manufactured For:

VPG

Purchasing

Groups, Inc.

230 FM 87

BONHAM. TEXAS 75418

EPA Reg. No. 53883-185-7401 EPA Est. No. 7401-TX-01 Visit Us At: www.fertilome.com Product Ouestions? 855-270-4776

10293-0216-CL



3