

In the event or a medical or chemical emergency contact ChemTel, Inc. North American 1-800-255-3924 or worldwide Intl. + 01-813-248-0585

Voluntary Purchasing Groups, Inc. 230 FM 87 Bonham, Texas 75418

Effective Date: April 28, 2011

Ferti-lome® Double Play Weeds 'em Out Keeps 'em Out

1. PRODUCT AND COMPANY IDENTIFICATION:

PRODUCT: Ferti-lome® Double Play Weeds 'em Out Keeps 'em Out

EPA No.: 228-509

COMPANY IDENTIFICATION:

Voluntary Purchasing Groups, Inc. 230 FM 87 Bonham, TX. 75418

2. HAZARDOUS IDENTIFICATIONS:

Emergency Overview:

Appearance and Odor: Yellow colored liquid with a faint odor.

Warning Statements: Keep out of reach of children. CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing.

Potential Health Effects:

Likely Routes of Exposure: Inhalation, eye and skin contact.

Eye Contact: Moderately irritating based on toxicity studies. May cause pain, redness and tearing.

Skin Contact: Slightly toxic and slightly irritating based on toxicity studies.

Ingestion: Slightly toxic based on toxicity studies.

Inhalation: Low inhalation toxicity.

Medical Conditions Aggravated by Exposure: Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema or bronchitis. Skin contact may aggravate existing skin disease.

See Section 11: TOXICOLOGICAL INFORMATION for more information.

Potential Environmental Effects:

Drift or runoff may adversely affect non-target plants.

See Section 12: ECOLOGICAL INFORMATION for more information.

3. COMPOSITION / INFORMATION ON INGREDIENTS:

COMPONENT	CAS NO.	% BY WEIGHT
Glyphosate, N-(phosphonomethyl) glycine, in the form of Its isopropylamine salt	38641-94-0	40.15
Prodiamine	29091-21-2	7.51
Other Ingredients Including: Ethoxylated Talloqamines	61791-26-2	52.34

4. FIRST AID MEASURES:

If in Eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.



In the event or a medical or chemical emergency contact ChemTel, Inc. North American 1-800-255-3924 or worldwide Intl. + 01-813-248-0585

Voluntary Purchasing Groups, Inc. 230 FM 87 Bonham, Texas 75418

Ferti-lome® Double Play Weeds 'em Out Keeps 'em Out

Effective Date: April 28, 2011

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES:

Flash Point: Not applicable due to aqueous formulation

Autoignition Temperature: Not determined Flammability Limits: Not determined

Extinguishing Media: Use water, dry chemical, foam, or carbon dioxide.

Special Fire Fighting Procedures: Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full fire-fighting turn out gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later.

Unusual Fire and Explosion Hazards: If water is used to fight fire, contain runoff, using dikes to prevent contamination of water supplies. Dispose of fire control water later. This product reacts with galvanized steel or unlined steel (except stainless steel) to produce hydrogen gas that may form a highly combustible gas mixture which could flash or explode. **Hazardous Decomposition Materials (Under Fire Conditions):** May produce gases such as oxides of carbon, nitrogen, and phosphorous.

National ire Protection Association (NFPA) Hazard Rating:

Rating for this product: Health: 1 Flammability: 1 Reactivity: 0

Hazards Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

6. ACCIDENTAL RELEASE MEASURES:

Personal Precautions: Wear appropriate protective gear for the situation. See Personal Protection Information in Section 8

Environmental Precautions: Prevent material from entering public sewer systems or any waterways. Do not flush to drain. Large spills to soil or similar surfaces may necessitate removal of topsoil. The affected area should be removed and placed in an appropriate container for disposal.

Methods for Containment: Dike spill using absorbent or impervious materials such as earth, sand or clay. Collect and contain contaminated absorbent and dike material for disposal.

Methods for Cleanup and Disposal: Pump any free liquid into an appropriate closed container. Collect washings for disposal. Decontaminate tools and equipment following cleanup. See Section 13: DISPOSAL CONSIDERATIONS for more information.

Other Information: Large spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

7. HANDLING AND STORAGE:

<u>Handling:</u> Avoid contact with eyes or clothing. Users should wash hands, face and arms with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove Personal Protective Equipment (PPE) immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Spray solutions of this product should be mixed, stored and applied using only stainless steel, aluminum, fiberglass, plastic-lined containers.

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly



In the event or a medical or chemical emergency contact ChemTel, Inc. North American 1-800-255-3924 or worldwide Intl. + 01-813-248-0585

Voluntary Purchasing Groups, Inc. 230 FM 87 Bonham, Texas 75418

Ferti-lome® Double Play Weeds 'em Out Keeps 'em Out

Effective Date: April 28, 2011

combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

Storage: STORE ABOVE 10°F (-12°C) TO KEEP PRODUCT FROM CRYSTALLIZING. Crystals will settle to the bottom. If allowed to crystallize, place in a warm room 68°F (20°C) for several days to redissolve and shake or roll to mix well before using. Do not contaminate water, food, or feed by storage or disposal.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION:

Engineering Controls: Where engineering controls are indicated by specific use conditions or a potential for excessive exposure, use local exhaust ventilation at the point of generation.

Personal Protective Equipment:

Eye/Face Protection: To avoid contact with eyes, wear chemical goggles or shielded safety glasses. An emergency eyewash or water supply should be readily accessible to the work area.

Skin Protection: To avoid contact with skin, wear long pants, long-sleeved shirt, socks, shoes and chemical-resistant gloves made of any water proof material. An emergency shower or water supply should be readily accessible to the work area.

Respiratory Protection: Not normally required. If vapors or mists exceed acceptable levels, wear NIOSH approved airpurifying respirator with cartridges/canisters approved for use against pesticides.

General Hygiene Considerations: Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material: 1) do not store, use and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored; 2) wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics or using the toilet.

Exposure Guidelines:

	OSHA		ACGIH		
Component	TWA	STEL	TWA	STEL	Unit
Isopropylamine Salt of Glyphosate	NE	NE	NE	NE	
Prodiamine	NE	NE	NE	NE	
Ethoxylated Tallowamines	NE	NE	NE	NE	

NE = Not Established

9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance and Odor: Yellow colored liquid with a faint odor.

Boiling Point: Not determined
Density: 9.96 pounds/gallon
Evaporation Rate: Not determined
Freezing Point: Not determined
pH: 4.8 (1% solution)

Solubility in Water: Dispersible
Specific Gravity: 1.196 @ 20°C
Vapor Density: Not determined
Vapor Pressure: Not determined
Viscosity: 408.082 cSt @ 20°C

Note: Physical data are typical values, but may vary from sample to sample. A typical value should not be construed as a guaranteed analysis or as a specification.

10. STABILITY & REACTIVITY DATA:

Chemical Stability: This material is stable under normal handling and storage conditions.

Conditions to Avoid: Excessive heat. Do not store near heat or flame.

Incompatible Materials: Strong oxidizing agents: bases and acids. This product reacts with galvanized steel or unlined steel (except stainless steel) to produce hydrogen gas that may for a highly combustible gas mixture which could flash or explode.



In the event or a medical or chemical emergency contact ChemTel, Inc. North American 1-800-255-3924 or worldwide Intl. + 01-813-248-0585

Voluntary Purchasing Groups, Inc. 230 FM 87 Bonham, Texas 75418

Ferti-lome® Double Play Weeds 'em Out Keeps 'em Out

Effective Date: April 28, 2011

Hazardous Decomposition Products: Under fire conditions may produce gases such as oxides of carbon, nitrogen, and phosphorous.

Hazardous Reactions: Hazardous polymerization will not occur.

11. TOXICOLOGICAL INFORMATION:

Toxicological Data:

Data from laboratory studies on this product are summarized below:

Oral: Rat LD₅₀: >5,000 mg/kg (female) **Dermal:** Rat LD₅₀: >5,000 mg/kg **Inhalation:** Rat 4-hr LC₅₀: >2.06 mg/l **Eye Irritation:** Rabbit: Moderately irritating **Skin Irritation:** Rabbit Slightly irritating

Skin Sensitization: Not a contact sensitizer in guinea pigs following repeated skin exposure.

Subchronic (Target Organ) Effects: Repeated overexposure to glyphosate may decrease body weight gains and effects to liver. Repeated overexposure to prodiamine may decrease body weight gains and effect the liver and thyroid. The surfactant component of this product is reported to cause irritation to the eyes skin and skin and may contribute to the irritation potential reported for this herbicide. Ingestion may product gastrointestinal irritation, nausea, vomiting and diarrhea.

Carcinogenicity / Chronic Health Effects: Prolonged overexposure to glyphosate may cause effects to the liver. Prolonged overexposure to prodiamine may affect the liver and thyroid. There was no evidence of carcinogenicity in animal studies using glyphosate. EPA has given glyphosate a Group E classification (evidence of non-carcinogenicity in humans). In animal studies with prodiamine, benign thyroid tumors were seen in rats, but none were observed in mice.

Reproductive Toxicity: In laboratory animal studies, glyphosate did not cause birth defects in animals; other effects were seen only at doses that produced significant toxicity to the parent animals.

Developmental Toxicity: In animal studies, glyphosate did not cause birth defects in animals; other effects were seen in the fetus only at does which caused toxic effects to the mother. For prodiamine, fetal toxicity has been seen at high dose levels in rats, developmental and maternal toxicity observed at 1g/kg/day.

Genotoxicity: Glyphosate has produced no genetic changes in a variety of standard tests using animals and animal or bacterial cells. Animal tests with prodiamine did not demonstrate mutagenic effects.

Assessment Carcinogenicity: None listed with ACGIH, IARC, NTP, or OSHA.

See Section2: HAZARDS IDENTIFICATION for more information.

12. ECOLOGICAL INFORMATION:

Ecotoxicity:

Data on Glyphosate technical:

96-hour LC $_{50}$ Bluegill: 120 mg/l Bobwhite Quail 8-day Dietary LC $_{50}$: >4,500 ppm 96-hour LC $_{50}$ Rainbow Trout: 86 mg/l Mallard Duck 8-day Dietary LC $_{50}$: >4,500 ppm 48-hour LC $_{50}$ Daphnia: 780 mg/l

Data on Prodiamine:

96-hour LC $_{50}$ Bluegill Sunfish: 0.55 ppm Bobwhite Quail 8-day Dietary LC $_{50}$: >10,000 ppm 96-hour LC $_{50}$ Rainbow Trout: 0.83 ppm Mallard Duck 8-day Dietary LC $_{50}$: >10,000 ppm 48-hour LC $_{50}$ Daphnia magna: 0.66 ppm Bees LC $_{50}$ /EC $_{50}$: >100 µg/bee

Environmental Fate:

In the environment, salts of glyphosate rapidly dissociate to glyphosate, which absorbs strongly to soil and is expected to be immobile in soil. Glyphosate is readily degraded by soil microbes to AMPA (aminomethyl phosphoric acid) that is further



In the event or a medical or chemical emergency contact ChemTel, Inc. North American 1-800-255-3924 or worldwide Intl. + 01-813-248-0585

Voluntary Purchasing Groups, Inc. 230 FM 87 Bonham, Texas 75418

Effective Date: April 28, 2011

Ferti-lome® Double Play Weeds 'em Out Keeps 'em Out

degraded to carbon dioxide. Glyphosate and AMPA are unlikely to enter ground water due to their strong adsorptive characteristics. Terrestrially-applied glyphosate has the potential to move into surface waters through soil erosion because it may be adsorbed to soil particles suspended in the runoff. Aquatic applications registered for certain formulations may also result in glyphosate entering surface waters. Complete degradation is slow, but dissipation in water is rapid because glyphosate is bound in sediments and has low biological availability to aquatic organisms. These characteristics suggest a low potential for bioconcentration in aquatic organisms and this has been verified by laboratory investigations of glyphosate bioconcentration in numerous marine and freshwater organisms with and without soil. The maximum whole body bioconcentration factors for fish were observed to be less than 1X. Bioconcentration factors for sediment dwelling mollusks and crayfish tended to be slightly higher, but were always less than 10X. In addition, any residues accumulated in organisms were rapidly eliminated.

Prodiamine does not bioaccumulate. Prodiamine is persistent in soil (immobile) and stable in water (sinks in water after 24 hours).

13. DISPOSAL CONSIDERATIONS:

Waste Disposal Method:

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Handling and Disposal:**

Triple Rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of container in a sanitary landfill, or incinerate, or burned if allowed by state and local authorities. Stay out of smoke from burning container.

14. TRANSPORTATION INFORMATION:

Follow the precautions indicated in Section 7: HANDLING AND STORAGE of this MSDS.

DOT

Non-Regulated – See 173.132 (b)(3)

<u>IMDG</u>

Non-Regulated – See IMDG 2.6.2.1.3

IATA

Non-Regulated – See IATA 3.6.1.5.3

15. REGULATORY INFORMATION:

U.S. FEDERAL REGULATIONS:

TSCA Inventory: This product is exempted for TSCA because it is solely for FIFRA regulated use.

SARA Hazard Notification/Reporting:

Hazard Categories Under Criteria of SARA Title III Rules (40 CFR PART 370): Immediate, Delayed

Section 313 Toxic Chemical(s): None

Reportable Quantity (RQ) under U.S. CERCLA: None

RCRA Waste Code: None

<u>State Information:</u> Other state regulations may apply. Check individual state requirements.

California Proposition 65: Not listed



Ferti-lome® Double Play Weeds 'em Out Keeps 'em Out

In the event or a medical or chemical emergency contact ChemTel, Inc. North American 1-800-255-3924 or worldwide Intl. + 01-813-248-0585

Voluntary Purchasing Groups, Inc. 230 FM 87 Bonham, Texas 75418

Effective Date: April 28, 2011

16. OTHER INFORMATION:

This Material Safety Data Sheet (MSDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-ACCEPTED PRODUCT LABELING (attached to and accompanying the product container). This MSDS provides important health, safety and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of Federal law to use a pesticide product in any manner not prescribed on the EPA-Accepted label.

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the sate here of, Voluntary Purchasing Groups, Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Voluntary Purchasing Groups, Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTIBILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.