Materia
Safety
Data
Sheet

# ferti-lome® Evergreen Food

#### **SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

Name: Voluntary Purchasing Groups, Inc.	Box 460, Bonham, TX 75418
Emergency Telephone: (903) 583-5501 or (800) 424-930	00 (Chemtrec)
For Additional Information Contact: Product Manager or Chemtrec	Date Prepared: 03-14-03
Common Name (Used on Label): ferti-lome® Evergreen Food	Chemical Family: Does not apply
Chemical Name: Does not apply	Formula: Mixture of monoammonium phosphate, muriate of potash, urea, limestone, vermiculite, diatomaceous earth, and water.
Trade Name & Synonyms: ferti-lome® Evergreen Food	

## **SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS**

HAZARDOUS COMPONENT	CAS NUMBER	% (TYPICAL)	TLV (UNITS)	PEL (UNITS)
Urea	57-13-6	Proprietary	Not established	Not established
Attapulgite (diatomaceous earth)	12174-11-7	Proprietary	0.1 mg/m3*	.01 mg/m3*
Monoammonium phosphate	7722-76-1	Proprietary	Not established	Not established
Vermiculite	1318-00-9	Proprietary	Not established	Not established
Dolomatic limestone	16389-88-1	Proprietary	10 mg/m3	15 mg/m3

<sup>\*</sup> Respirable quartz

PEL: Permissible Exposure Limit established by the Occupational Safety and Health Administration.

TLV: Threshold Limit Value recommended by the American Conference of Governmental Industrial Hygienists.

## **SECTION 3 – PHYSICAL DATA**

BOILING POINT (°F)	SPEC	IFIC GRAVIT	Y (H <sub>2</sub> O=1)		VAPOR PRESSURE (mm Hg)
Does not apply	0.5				Does not apply
PERCENT VOLATILE BY VOLUME (	%)	VAPOR DEI	NSITY (AIR=1)	EVAPO	DRATION RATE (ethyl ether=1)
<1%		Does not ap	ply	Does r	not apply
SOLUBILITY IN WATER			REACTIVITY II	N WATE	:R
Appreciable			Will not evolve	flammal	ole or toxic gases
APPEARANCE AND ODOR					-
Multicolored granules; slight chlorine of	odor				

## **SECTION 4 - FIRE AND EXPLOSION DATA**

FLASH POINT (°F)	FLAMMABLE LIMITS IN	NAIR (% by volume)	
Does not apply	Lower: Not determined Upper: Not determined		
EXTINGUISHING MEDIA		AUTO IGNITION TEMPERA	ATURE
Water, foam, dry chemical, or carbon dioxide		Not determined	
UNUSUAL FIRE AND EXPLOSION HAZARDS			
Decomposes upon heating to liberate ammonia.	Avoid dispersion of dus	st in air to reduce potential	explosion
Product Name: ferti-lome® Evergreen Food		ID Number:	Page: 1

hazard.

SPECIAL FIRE FIGHTING PROCEDURES

Product Name: ferti-lome® Evergreen Food

Wear pressure-demand, self-contained breathing apparatus, MSHA/NIOSH approved full protective gear. Avoid inhalation of fumes and dusts.

### **SECTION 5 - HEALTH INFORMATION**

PRIMARY ROUTES OF EXP	OSURE AND TARGET ORGANS	
Skin contact, inhalation, eye		
SIGNS AND SYMPTOMS OF		
(1) ACUTE OVEREXPOSUR		
` '		itation of the gastrointestinal tract; nausea,
		sult in local irritation. Inhalation of high
	upper respiratory tract irritation.	ŭ
(2) CHRONIC OVEREXPOSI	URE	
Inhalation of dust may perma	anently damage the lungs and result in th	e development of pneumoconiosis, silicosis,
or other respiratory disorders		
	NERALLY AGGRAVATED BY EXPOSURI	E
	ystem, dermatitis or other skin disorders.	
	ISTED AS CARCINOGEN OR POTENTIA	L CARCINOGEN
None		
NTP	IAR <u>C</u>	OSHA
☐ YES ⊠ NO	☐ YES ☒ NO	☐ YES ☒ NO
OTHER EXPOSURE LIMITS		
	= 10mg/m3; OSHA PEL (nuisance dusts)=	= 15 mg/m3
EMERGENCY AND FIRST A		
		ater and sticking finger down throat. Never
		EYE CONTACT: Immediately flush eyes with
		flushing of the entire surface of the eye and
		nintments should not be used unless directed
	respiration. If breathing is difficult, give ox	d water. INHALATION: Remove to fresh air.
il flot breathing, give artificial	respiration. If breathing is difficult, give ox	ygen. Can a physician.
	SECTION 6 - REACTIVITY DA	ATA
STABILITY	CONDITIONS TO AVOID	
l <u> </u>	Decomposes upon heating	
INCOMPATIBILITY (Materials		
Strong oxidizers and alkalis.  HAZARDOUS DECOMPOSIT	s to Avoid)	
Strong oxidizers and alkalis.  HAZARDOUS DECOMPOSITION  The strength of the st	s to Avoid) TION PRODUCTS	n dioxide.
Strong oxidizers and alkalis.  HAZARDOUS DECOMPOSITION  The strong oxidizers and alkalis.	s to Avoid) TION PRODUCTS es, cyanuric acid, cyanuric acid and carboi	n dioxide.
Strong oxidizers and alkalis.  HAZARDOUS DECOMPOSITAMMONIA, phosphorous oxide	s to Avoid)  TION PRODUCTS es, cyanuric acid, cyanuric acid and carboi TION   CONDITIONS TO AVOID	
Strong oxidizers and alkalis.  HAZARDOUS DECOMPOSITAL  Ammonia, phosphorous oxide  HAZARDOUS POLYMERIZA	s to Avoid)  TION PRODUCTS es, cyanuric acid, cyanuric acid and carbor  TION   CONDITIONS TO AVOID	
Strong oxidizers and alkalis.  HAZARDOUS DECOMPOSITAL  Ammonia, phosphorous oxide  HAZARDOUS POLYMERIZA	s to Avoid)  TION PRODUCTS es, cyanuric acid, cyanuric acid and carbon TION CONDITIONS TO AVOID t occur Avoid heating or direct exposure	to sunlight.
Strong oxidizers and alkalis.  HAZARDOUS DECOMPOSITAL  Ammonia, phosphorous oxide  HAZARDOUS POLYMERIZA	s to Avoid)  TION PRODUCTS es, cyanuric acid, cyanuric acid and carbor  TION   CONDITIONS TO AVOID	to sunlight.
Strong oxidizers and alkalis.  HAZARDOUS DECOMPOSITAMMONIA, phosphorous oxide HAZARDOUS POLYMERIZA  May Occur Will Not	s to Avoid)  TION PRODUCTS es, cyanuric acid, cyanuric acid and carbon TION CONDITIONS TO AVOID t occur Avoid heating or direct exposure  SECTION 7 - SPILL OR LEAK PROC	to sunlight.
Strong oxidizers and alkalis.  HAZARDOUS DECOMPOSITAMMONIA, phosphorous oxide HAZARDOUS POLYMERIZA  May Occur Will Note  STEPS TO BE TAKEN IN CA	s to Avoid)  TION PRODUCTS es, cyanuric acid, cyanuric acid and carbonation  TION CONDITIONS TO AVOID t occur Avoid heating or direct exposure  SECTION 7 - SPILL OR LEAK PROC	to sunlight.
Strong oxidizers and alkalis.  HAZARDOUS DECOMPOSITAMMONIA, phosphorous oxide HAZARDOUS POLYMERIZA  May Occur Will Not  STEPS TO BE TAKEN IN CA Clean up of spills may require	TION PRODUCTS es, cyanuric acid, cyanuric acid and carbon ATION CONDITIONS TO AVOID t occur Avoid heating or direct exposure  SECTION 7 - SPILL OR LEAK PROC  ASE MATERIAL IS LEAKED OR SPILLED re personal protective equipment. See S	to sunlight.  CEDURES  Section 8. Sweep-up or vacuum the material
Strong oxidizers and alkalis.  HAZARDOUS DECOMPOSITAMMONIA, phosphorous oxide HAZARDOUS POLYMERIZA  May Occur Will Not  STEPS TO BE TAKEN IN CA Clean up of spills may require and transfer to a sealed, labe	TION PRODUCTS es, cyanuric acid, cyanuric acid and carbon ATION CONDITIONS TO AVOID t occur Avoid heating or direct exposure  SECTION 7 - SPILL OR LEAK PROD  ASE MATERIAL IS LEAKED OR SPILLED re personal protective equipment. See Seled container. Residue may be washed av	to sunlight.  CEDURES  Section 8. Sweep-up or vacuum the material
Strong oxidizers and alkalis.  HAZARDOUS DECOMPOSITAMMONIA, phosphorous oxide HAZARDOUS POLYMERIZA  May Occur Will Not  STEPS TO BE TAKEN IN CA Clean up of spills may require and transfer to a sealed, labe WASTE DISPOSAL METHOR	TION PRODUCTS es, cyanuric acid, cyanuric acid and carbon ATION   CONDITIONS TO AVOID t occur   Avoid heating or direct exposure  SECTION 7 - SPILL OR LEAK PROD  ASE MATERIAL IS LEAKED OR SPILLED re personal protective equipment. See Seled container. Residue may be washed and	to sunlight.  CEDURES  Section 8. Sweep-up or vacuum the material
Strong oxidizers and alkalis.  HAZARDOUS DECOMPOSITAMMONIA, phosphorous oxide HAZARDOUS POLYMERIZA  May Occur Will Not  STEPS TO BE TAKEN IN CA Clean up of spills may require and transfer to a sealed, labe WASTE DISPOSAL METHOR	TION PRODUCTS es, cyanuric acid, cyanuric acid and carbon ATION CONDITIONS TO AVOID t occur Avoid heating or direct exposure  SECTION 7 - SPILL OR LEAK PROD  ASE MATERIAL IS LEAKED OR SPILLED re personal protective equipment. See Seled container. Residue may be washed av	to sunlight.  CEDURES  Section 8. Sweep-up or vacuum the material

Page: 2

ID Number:

#### **SECTION 8 - PERSONAL PROTECTION INFORMATION**

RESPIRATORY PROTECTION

NIOSH/MSHA approved for protection against toxic dusts containing quartz.

VENTILATION

Local or general exhaust to maintain exposure below TLV/PEL.

PROTECTIVE GLOVES

PVC or Neoprene

**EYE PROTECTION** 

Safety glasses or goggles (ANSI Z87.1 1979)

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

Apron, boots, long sleeved shirt and full-length pants (or overalls) may be worn when necessary to prevent skin contact. Eye wash and shower facilities should be available.

#### **SECTION 9 - SPECIAL PRECAUTIONS**

PRECAUTIONS TO BE TAKEN IN HANDLING & STORING

Corrosive to cast iron and aluminum. Store in dry, cool, ventilated area, out of direct sunlight.

OTHER PRECAUTIONS

Not determined

#### **SECTION 10 - OTHER INFORMATION**

The information contained within was obtained from authoritative sources and is believed to be accurate for the manner in which the product is intended to be used. Other uses could result in ramifications, which are not included within this document.