



ferti·lome[®]

Grass & Weed Killer



- Kills Weeds, Grasses, Algae And Moss
- Fast Acting
- Kills Within Hours



ACTIVE INGREDIENT:


Ammoniated soap of fatty acids	22%
OTHER INGREDIENTS:	78%
TOTAL	100%

KEEP OUT OF REACH OF CHILDREN

WARNING

See Back Panel for First Aid and
Additional Precautionary Statements

NET CONTENTS ONE QUART (32 FL. OZ. / 946 ML)



ferti•lome® Grass & Weed Killer

FIRST AID

IF IN EYES	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
IF INHALED	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

In the event of a medical or chemical emergency, contact ChemTie 
North America 1-800-255-3924

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes skin irritation. Causes substantial but temporary eye injury. Harmful if inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wear long-sleeved shirt and long pants, socks, chemical resistant footwear and gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash before reuse. Wear protective eyewear (goggles, face shield or safety glasses).

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store unused material, tightly closed, in original container only, away from open flame. Do not store at temperatures below 39°F.

PESTICIDE DISPOSAL:

If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

See Inside Booklet for Directions For Use.

Manufactured For:



230 FM 87 • BONHAM, TEXAS 75418
EPA Reg. No. 67702-34-7401
EPA Est. No. 7401-TX-01
Product Questions? 855-270-4776



 PEEL FROM CORNER OF BOOKLET

- Fast acting weed, grass, algae and moss killer can be used anytime of the year.
- Where to use: around ornamental flowers, mature shrubs and trees; spot treatment in lawns bordering garden areas; bark mulch; around planters, raised beds, containers and other structures holding flowers, trees, and shrubs.



**230 FM 87
BONHAM, TEXAS 75418
EPA Reg. No. 67702-34-7401
EPA Est. No. 7401-TX-01
Product Questions? 855-270-4776**

Manufactured under a license of W. Neudorff GmbH KG



16103-1022-10421-FS



ENVIRONMENTAL HAZARDS

This product is hazardous to aquatic invertebrates. Do not apply directly to water. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE SITES: Around ornamental flowers; on and around mature shrubs and trees; ornamental lawns and turf; ornamental woody shrubs, vines, and ornamental shade trees; spot treatment in lawns bordering garden areas; in seedbeds or site preparations prior to planting crop; cultivated areas prior to the emergence of susceptible plant parts or as a directed spray avoiding desirable plants; fields after the crop has been harvested; for farmstead maintenance on and around fences, driveways, and other right-of-ways surrounding crop areas; on structures holding flowers, trees, shrubs, vines, and vegetables; and grass or non-grass forage/fodder/hay.

PESTS

Weeds controlled or suppressed by **ferti•lome® Grass & Weed Killer** include the following:

Chickweed	<i>Stellaria media</i>
Corn spurry	<i>Spergula arvensis</i>
Dandelion	<i>Taraxacum</i> spp.
Groundsel	<i>Senecio</i> spp.
Lamb's-quarters	<i>Chenopodium album</i>
Mouse-eared chickweed	<i>Cerastium vulgatum</i>
Mustards	<i>Brassica</i> spp.
Plantain	<i>Plantago</i> spp.
Redroot pigweed	<i>Amaranthus retroflexus</i>
Round leaved mallow	<i>Malva</i> spp.
Sheep sorrel	<i>Rumex acetosella</i>
Shepherd's-purse	<i>Capsella bursa-pastoris</i>
Stinkweed	<i>Thlaspi arvense</i>
Thistle	<i>Cirsium</i> spp.
Annual bluegrass	<i>Poa annua</i>
Large crabgrass	<i>Digitaria sanguinalis</i>
Perennial ryegrass	<i>Lolium perenne</i>
Creeping red fescue	<i>Festuca rubra</i>
Hard fescue	<i>Festuca ovina</i>
Colonial bentgrass	<i>Agrostis tenuis</i>
Moss, algae, and lichens	

PRODUCT INFORMATION

ferti•lome® Grass & Weed Killer is a fast-acting, non-selective weed, grass, algae and moss killer. This product is not translocated. It will burn only those plant parts that are coated with spray solution. The best results are obtained with young, actively growing weeds, less than 5 inches high. **ferti•lome® Grass & Weed Killer** can be used any time during the year and works best during warm and dry conditions. Application during cold weather may delay appearance of plant damage. If rain falls within 3 hours of treatment, an additional spray may be required. **ferti•lome® Grass & Weed Killer** controls many common annual weeds and suppresses the growth of some bi-annual and perennial weeds. It can be used in cultivated areas prior to planting grass, flowers and vegetables. Areas can be re-sown five days after treatment. Inadvertent overspray of **ferti•lome® Grass & Weed Killer** does not stain concrete, pavement, stucco or wood.

APPLICATION DIRECTIONS

Shake well before using. Mix one part **ferti•lome® Grass & Weed Killer** with 5 parts water (26 oz. in 1 gallon of water). Alternatively, for small, easy-to-kill weeds, mix one part **ferti•lome® Grass & Weed Killer** with 9 parts water (14 oz. in 1 gallon water). Apply the mixed solution at 2.5 – 7.5 gallons/1,000 ft² (3 – 9 fl. oz./yard²). For annual weeds, use at the lower rates. For perennial and more established weeds, use at higher rate. Any standard hand-held or backpack sprayer can be used. Spray weed thoroughly, using a coarse nozzle setting to reduce drift. Thorough coverage is extremely important. For spot treatment of individual weeds, apply the mixed solution to the center of plant to the point of runoff. Plant damage will be visible from a few hours to 2 days after spraying. Repeat treatment every 2 to 3 weeks to control new weeds growing from seed and re-growth from bi-annual and perennial weeds. Avoid spraying desirable plants. Thoroughly wash equipment after use.

NOTICE

To the extent consistent with applicable law, seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated on this label only when used in accordance with directions under normal use conditions. This warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. Buyer assumes all risk of any such use. To the extent consistent with applicable law, seller makes no other warranties, either expressed or implied.

This page left blank intentionally.

This page left blank intentionally.