

Hi-Yield®

KILLZALL™

Extended Control

Pre-Emergent and Post-Emergent Weed Control For Many Broadleaf Weeds and Grasses

ACTIVE INGREDIENTS:

Glyphosate, N-(phosphonomethyl) glycine, in the form of its isopropylamine salt*.....	40.15%
Proflaminate**.....	7.51%

OTHER INGREDIENTS:	52.34%
TOTAL:	100.00%

* Contains 480 grams per liter or 4.0 pounds per U.S. gallon.
Equivalent to 356 grams per liter or 2.97 pounds per U.S. gallon.

** Equivalent to 90 grams per liter or 0.75 pounds per U.S. gallon
(CAS # 29091-21-1).

**KEEP OUT OF REACH OF CHILDREN
CAUTION / PRECAUCION**

**See Back Panel For Additional
Precautionary Statements**

**Si usted no entiende la etiqueta, busque a alguien
para que se la explique a usted en detalle.
(If you do not understand the label, find someone to
explain it to you in detail.)**

NET CONTENTS: ONE GALLON (128 FL. OZS. / 3.78 L)

533697F-1

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling.

FIRST AID

- | | |
|--------------------|---|
| If In Eyes: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. |
|--------------------|---|

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or when going for treatment.

ENVIRONMENTAL HAZARDS

This product has low solubility in water. At the limits of solubility is not toxic to fish. However, at concentrations above the level of water solubility it may be toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment rinse water or rinsate.

NON-TARGET ORGANISM ADVISORY STATEMENT: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.

In the event of a medical or chemical emergency contact  **North America 1-800- 255-3924**

RV042722

Manufactured By:
 *Voluntary
Purchasing
Groups, Inc.*
 230 FM 87
 BONHAM, TEXAS 75418
 EPA Reg. No. 228-509-7401
 EPA Est. No. 7401-TX-01
 Product Questions?
 855-270-4776



PHYSICAL OR CHEMICAL HAZARDS

Spray solutions of this product should be mixed, stored and applied using only stainless steel, aluminum, fiberglass, plastic, or plastic-lined steel containers.

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette, or other ignition source.

SPRAY DRIFT ADVISORIES

Handheld Technology Applications:Take precautions to minimize spray drift.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner that is inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Stay off treated areas until sprays have dried. Precautions should be taken after application to prevent tracking product onto desirable grasses. **SHAKE WELL BEFORE USING.**

PRODUCT INFORMATION

WHERE TO USE

Apply this product to both established weeds and weed-prone areas where weeds have not yet emerged:

- On cracks and crevices in driveways, sidewalks, walkways, and patios
- Along fences, foundations, curbs, retaining walls, and edges of lawns
- Around the base or in mulched beds of well-established (at least 6 months old) plants, shrubs, or trees
- On gravel areas

HOW THIS PRODUCT WORKS

Important: To prevent new weeds and grasses from growing you must spray the entire area you want to control, not just the emerged weeds.

This product works two ways:

1. One ingredient enters the plants through foliage and moves systemically to the roots, killing many weeds by stopping the production of a substance found in plants. Weeds begin to yellow and wilt in a matter of days with complete kill of many weeds in 1 to 2 weeks.
2. The other ingredient provides a herbicidal barrier in the soil preventing growth and development of newly germinated weeds.

USE RESTRICTIONS

- **DO NOT** spray desirable plants.
- **DO NOT** use in lawns or for lawn renovations as this product prevents desirable grass establishment.
- **DO NOT** use for vegetable garden preparations or in and around fruits and vegetables.
- **DO NOT** spray around ornamental plants or in an area that will be planted or seeded for 6 months after application when applying at the 3 fluid ounces per 1,000 square feet use rate.
- If applying at or less than the 3 fluid ounces per 1,000 square feet rate **DO NOT** retreat for a minimum of 30 days following application.
- **DO NOT** spray around ornamental plants or in an area that will be planted or seeded for 12 months after application when applying at the 5.75 fluid ounces per 1,000 square feet use rate.
- **DO NOT** apply more than 5.75 fluid ounces per 1,000 square feet per application.
- **DO NOT** apply more than 5.75 fluid ounces per 1,000 square feet per year (12-month period).
- **DO NOT** apply through any type of irrigation system.

•**DO NOT** apply by air.

APPLICATION

When to Apply

Spray when air is calm to prevent drift to desirable plants. For best results, apply during warm, sunny weather (above 60°F).

WEEDS CONTROLLED

Pre-Emergent:

When used as directed, this product will prevent the following weeds from emerging:

Barnyardgrass	Cupgrass, woolly	Kochia	Shepherdspurse ¹
Bluegrass, annual (Poa annua) ¹	Foxtails, annual	Lambsquarters, common	Signalgrass, broadleaf
Carpetweed	Goosegrass	Lovegrass	Speedwell, Persian
Chickweed, common ²	Henbit ¹	Panicum, (Texas, fall, browntop)	Sprangletop
Chickweed, mouse-ear (from seed)	Itchgrass	Pigweed	Spurge, prostrate
Crabgrass (large, smooth)	Johnsongrass (from seed)	Purslane, common	Witchgrass
Crowfootgrass	Junglerice	Pusley, Florida	Woodsorrel, yellow (from seed)
	Knotweed ¹	Rescuegrass ²	

¹ To control this weed in non-turf areas, apply this product in late summer, fall, or winter before weeds germinate.

² Suppression only.

Post-Emergent:

ANNUAL WEEDS

Barley	False flax, smallweed	Mustard, wild	Shepherdspurse
Barnyardgrass	Filaree	Oats, wild	Sicklepod
Bluegrass, annual	Foxtail	Panicum, fall	Signalgrass, broadleaf
Bluegrass, bulbous	Foxtail, Carolina	Panicum, Texas	Spanishneedles
Brome, downy	Geranium, Carolina	Pennycress, field	Sprangletop
Buttercup	Goatgrass, jointed	Pigweed, redroot	Spurge, annual
Cheat	Goosegrass	Pigweed, smooth	Spurry, umbrella
Chickweed, common	Groundsel, common	Primrose, cutleaf evening	Stinkgrass
Chickweed, mouse-ear (from seed)	Henbit	Pusley, Florida	Teaweed
	Horseweed/Mare's Tail	Rice, red	Wheat
	Lambsquarters, common	Rocket, London	Witchgrass
	Mustard, blue	Rye	
	Mustard, tansy	Ryegrass, Italian	
	Mustard, tumble	Shattercane	

PERENNIAL WEEDS

Alfalfa	Cattail	Kikuyugrass	Quackgrass
Alligatorweed*	Clover, red	Knapweed	Redvine*
Anise (fennel)	Clover, white	Lantana	Reed, giant
Artichoke, Jerusalem	Cogongrass	Lespedeza	Ryegrass, perennial
Bahiagrass	Dallisgrass	Milkweed	Smartweed, swamp
Bentgrass	Dandelion	Morningglory	Spurge, leafy*
Bermudagrass	Dock, curly	Muhly, wirestem	Starthistle, yellow
Bermudagrass, water (knotgrass)	Dogbane, hemp	Mullein, common	Sweet potato, wild*
Bindweed, field	Fescue, tall	Napiagrass	Thistle, artichoke
Bluegrass, Kentucky	Fescues	Nightshade, silverleaf	Thistle, Canada
Bluegrass, Texas	Guinea grass	Nutsedge; purple, yellow	Timothy
Brackenfern	Horsenettle	Orchardgrass	Torpedograss*
Bromegrass, smooth	Horseradish	Pampasgrass*	Trumpetcreeper*
Bursage, woollyleaf	Ice plant	Paragrass	Vaseygrass
Canarygrass, reed	Johnsongrass	Phragmites*	Velvetgrass
	Johnsongrass, seedling	Poison hemlock	Wheatgrass, Western

*Partial Control

TANK SPRAYER (plastic, aluminum, fiberglass, plastic-lined steel or stainless steel)

- Add 3 to 5.75 fluid ounces to 1 gallon of water and treat 1,000 square feet
- For longer pre-emergent control and post-emergent control of larger weeds use the higher rate. **Do not apply with a galvanized or unlined steel (except stainless steel) sprayer, or through any irrigation system.**

HOW TO APPLY

Spray existing weeds AND the entire surrounding weed-prone area you want to keep free of weeds. Spray the area with sufficient volume to assure complete coverage. When spraying around the base of well-established (at least 6 months old) ornamental plants, shrubs, or trees, shield desirable plants from drift with a sheet of cardboard or plastic. Use caution to prevent application to green stems and leaves, damage can occur.

WHEN TO REPLANT

All ornamental bedding plants, trees, shrubs, sod, and seed (flowers and grasses) may be planted 6 months after application when applying at the 3 fluid ounces per 1,000 square feet use rate or 12 months when applying at the 5.75 fluid ounces per 1,000 square feet use rate.

HOW TO CLEAN SPRAYER

To clean sprayer after use, rinse sprayer and all sprayer parts with soap and water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used for other products.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: STORE ABOVE 10°F (-12°C) TO KEEP PRODUCT FROM CRYSTALLIZING. Crystals will settle to the bottom. If allowed to crystallize, place in a warm room 68°F (20°C) for several days to redissolve and shake or roll to mix well before using.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor (including toilet) or outdoor (including sewer) drain.

WARRANTY DISCLAIMER

The directions for use of this product must be followed carefully.

TO THE EXTENT CONSISTENT WITH LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE STATUTORY, OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE, UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND CONTROL OF THE MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURE OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of the directions for use, the warranty disclaimers, or limitations on liability, do not use this product, and return it unopened to the Seller, and the purchase price will be refunded.

- **Dual action formula**
- **Quart covers up to 10,667 square feet**
- **Makes up to 10 gallons of spray**

Hi-Yield® is a registered trademark of Voluntary Purchasing Groups, Inc.

Manufactured By:



230 FM 87 • BONHAM, TX 75418

EPA Reg. No. 228-509-7401

EPA Est. No. 7401-TX-01

Product Questions? 855-270-4776

533697B-1

