



ferti·lome[®]

Weed-Out Nutsedge Control

Ready To Use

Selective Postemergence Control of Annual Grasses,
Broadleaf Weeds, and Sedges in Residential Lawns.

- Ready To Use - No Mixing
- Kills Yellow & Purple Nutsedge, Kyllinga,
And Over 60 Other Tough Weeds
- For Northern And Southern Turf Grasses
- Rainproof In 2 Hours • Results Are Visible In Days

KEEP OUT OF REACH OF CHILDREN

CAUTION

See other panels for additional
precautionary information.

ACTIVE INGREDIENT:	By Wt.
Sulfentrazone	0.05%
OTHER INGREDIENTS:	99.95%
	100.00%


511258F-1

NET CONTENTS ONE QUART (32 FL. OZ. / 946ML)

ferti-lome® Weed-Out Nutsedge Control Ready To Use

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

Remove contaminated clothing and wash before reuse.  Keep children and pets out of the treated area until sprays have dried.

FIRST AID

If Swallowed	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Do not induce vomiting unless told to by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If On Skin or Clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If In Eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses if present, after the first five minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **In the event of a medical or chemical emergency, contact**  **North America 1-800-255-3924**

For Information Regarding the Use of this Product Call 1-855-270-4776.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep from freezing. Do not store below 32°F. Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place, preferably in a locked storage area and avoid excess heat. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into drink containers.

PESTICIDE CONTAINER DISPOSAL: **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. **If empty:** Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available, or dispose of in trash.

Manufactured by:



VOLUNTARY PURCHASING GROUPS, INC.
230 FM 87 • BONHAM, TEXAS 75418

EPA Reg. No. 279-3354-7401 • EPA Est. No. 7401-TX-01
855-270-4776

PEEL FROM CORNER OF BOOKLET

ENVIRONMENTAL HAZARDS

This product is toxic to marine/estuarine invertebrates. Do not apply directly to or near water, storm drains, or drainage ditches. Do not apply when windy or when heavy rainfall is expected. Care should be used when spraying to avoid fish and reptile pets in/around ornamental ponds.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Observe all cautions and limitations on this label. The use of **ferti•lome® Weed-Out Nutsedge Control Ready To Use** not consistent with this label may result in plant injury. Keep container closed to avoid spills and contamination.

PRODUCT INFORMATION

ferti•lome® Weed-Out Nutsedge Control Ready To Use selectively controls tough weeds like purple and yellow nutsedge (nutgrass), Kyllinga, wild onion and garlic, goosegrass, broadleaf plantain, purslane, redroot pigweed, dandelion, spurge, and other listed annual, biennial, and broadleaf weeds in a great variety of lawns, including:

Cool-Season Grasses

Creeping Bentgrass	Kentucky Bluegrass
Tall Fescue	Rough Bluegrass
Fine Fescue	Ryegrass (perennial)

Warm-Season Grasses

Bermudagrass	Buffalograss
St. Augustinegrass	Bahiagrass
Zoysiagrass	Kikuyugrass
Carpetgrass	Seashore Paspalum
Centipedegrass	

This unique formula kills weeds fast. **ferti•lome® Weed-Out Nutsedge Control Ready To Use** involves uptake by both weed roots and shoots. Complete kill should occur in 2-3 weeks. **ferti•lome® Weed-Out Nutsedge Control Ready To Use** also controls nutlets in the soil.

APPLICATION INSTRUCTIONS AND PRECAUTIONS

Twist open nozzle. Spot spray weed directly onto weed until well covered. Some weeds may require repeat application (see detailed instruction below).

Wait at least 4 weeks after treatment before reseeding, winter overseeding, or plugging lawns.

For best results, apply to weeds where less than 3 inches high

Apply only when wind is no more than 10 mph. Avoid applying when windy to prevent product drifting to other plants.

Try to avoid overlap spraying.

Do not spray over-the-top of flowers, ornamentals (including herbaceous) or garden vegetables other than those listed on the label under "Control of Weeds in Ornamentals" Section as injury may result.

Do not use in turfgrasses other than those listed on the label.

Do not use in greenhouses.

Do not graze or feed treated grass clippings.

CONTROL OF SEDGES (INCLUDING NUTSEDGES) AND GRASSES

Spray directly on emerged weeds to control or suppress sedges and some grasses. **ferti•lome® Weed-Out Nutsedge Control Ready To Use** is effective against newly emerged and established sedges. Good spray coverage is needed for optimum control.

Grass and sedge weed species controlled or suppressed

Common Name	Scientific Name
Annual bluegrass	<i>Poa annua</i>
Goosegrass*	<i>Eleusine indica</i>
Kyllinga, green	<i>Kyllinga brevifolia</i>
Kyllinga, false green	<i>Kyllinga gracillima</i>
Nutsedge, purple*	<i>Cyperus rotundus</i>
Nutsedge, yellow	<i>Cyperus esculentus</i>
Sedge, globe	<i>Cyperus globulosus</i>
Sedge, cylindrical	<i>Cyperus retrorsus</i>
Sedge, Surinam	<i>Cyperus surinamensis</i>
Sedge, Texas	<i>Cyperus polystachyos</i>

*For optimal control of Purple Nutsedge and Goosegrass, repeat treatment every 3-4 weeks.

CONTROL OF ANNUAL, BIENNIAL & PERENNIAL BROADLEAF WEEDS

Spray directly on newly emerged weeds to control or suppress a wide range of broadleaf weeds.

Broadleaf weeds controlled or suppressed by **ferti•lome® Weed-Out Nutsedge Control Ready To Use**

Broadleaves	Scientific Name
Bittercress	<i>Cardamine spp.</i>
Black medic	<i>Medicago lupulina</i>
Buttercups	<i>Ranunculus spp.</i>
Carolina geranium	<i>Geranium carolinianum</i>
Carpetweed	<i>Mollugo verticillata</i>
Chickweed, common	<i>Stellaria media</i>
Chickweed, mouseear	<i>Cerastium vulgatum</i>
Cinquefoil	<i>Potentilla spp.</i>
Clover	<i>Trifolium spp.</i>
Cudweed	<i>Gnaphalium spp.</i>
Dandelion	<i>Taraxacum officinale</i>
Dock, Curly	<i>Rumex crispus</i>
Evening primrose	<i>Oenothera biennis</i>
Fiddleneck	<i>Amsinckia spp.</i>
Filaree	<i>Erodium spp.</i>
Goldenrod	<i>Solidago spp.</i>
Ground ivy	<i>Glechmea hederacea</i>
Henbit	<i>Lamium amplexicaule</i>
Knotweed, prostrate	<i>Polygonum aviculare</i>
Kochia	<i>Kochia scoparia</i>
Lambsquarters, common	<i>Chenopodium album</i>
Lawn burweed	<i>Soliva pterosperma</i>
Lespedeza, common	<i>Lespedeza striata</i>
Mallow, common	<i>Malva neglecta</i>
Parsley piert	<i>Alchemilla arvensis</i>
Pennywort (Dollarweed)	<i>Hydrocotyle spp.</i>
Pigweed, Redroot	<i>Amaranthus retroflexus</i>
Pigweed, Smooth	<i>Amaranthus hybridus</i>
Pigweed, Tumble	<i>Amaranthus albus</i>
Pineapple weed	<i>Matricaria matricarioides</i>
Plantain, Broadleaf	<i>Plantago comanata</i>
Plantain, buckhorn	<i>Plantago lanceolata</i>
Plantain, Narrow leaf	<i>Plantago narrowiforma</i>
Puncture weed	<i>Tribulus terrestris</i>
Purslane, common	<i>Portulaca oleracea</i>
Pusley, Florida	<i>Richardia scabra</i>

Broadleaves	Scientific Name
Redweed	<i>Melochia corchorifolia</i>
Rocket, London	<i>Sisymbrium irio</i>
Smartweed, Pennsylvania	<i>Polygonum pennsylvanicum</i>
Sorrel, Red	<i>Rumex acetosella</i>
Speedwell	<i>Veronica spp.</i>
Spurge, (annuals)	<i>Euphorbia spp.</i>
Spurge, prostrate	<i>Euphorbia humistrata</i>
Spurge, spotted	<i>Euphorbia maculata</i>
Spurweed	<i>Soliva pterosperma</i>
Star of Bethlehem	<i>Ornithogalum umbellatum</i>
Velvetleaf	<i>Abutilon theophrasti</i>
Violet, wild	<i>Viola pratensis</i>
Wild garlic	<i>Allium vineale</i>
Wild onion	<i>Allium canadense</i>
Woodsorrel, creeping	<i>Oxalis corniculata</i>
Woodsorrel, yellow	<i>Oxalis stricta</i>

STORAGE AND DISPOSAL

PESTICIDE STORAGE

Keep from freezing. Do not store below 32°F. Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place, preferably in a locked storage area and avoid excess heat. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into drink containers.

PESTICIDE CONTAINER DISPOSAL:

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available, or dispose of in trash.

Conditions of Sale and Limitation of Warranty and Liability:

Notice: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions beyond the control of VPG or Seller. All such risks shall be assumed by Buyer and User, and, to the extent consistent with applicable law, Buyer and User agree to hold VPG and Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the Directions for Use when used in accordance with the directions under normal conditions of use. TO THE CONSISTENT WITH APPLICABLE LAW, VPG MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE SELECTION, PURCHASE, OR USE OF THIS PRODUCT. Any warranties, express or implied, having been made are inapplicable if this product has been used contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) seller or VPG, and, to the extent consistent with applicable law, buyer assumes the risk of any such use.

To the extent consistent with applicable law, VPG or seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF VPG AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF VPG OR SELLER, THE REPLACEMENT OF THE PRODUCT.

This Conditions of Sale and Limitation of Warranty and Liability may not be amended by any oral or written agreement.

PRODUCT FACTS

Kills	Sedges and Broadleaf Weeds: Purple and Yellow Nutsedge, Kyllinga, Plainain, Clover, Spurge, Woodsorrel, Knotweed, Chickweed, Curly Dock, Wild Onion, Wild Garlic, and other listed weeds
Use On	Well established turf grasses. Cool Season Grasses: Creeping Bentgrass, Fine & Tall Fescue, Perennial Ryegrass, Kentucky & Rough Bluegrass Warm Season Grasses: Bahiagrass, Bermudagrass, Buffalograss, Carpetgrass, Centipedegrass, Kikuyugrass, Seashore Paspalum, St. Augustinegrass, Zoysiagrass
How to Use	Spot spray weed directly until runoff. Some weeds may require repeat application (see detailed instructions).
When to Use	As weeds are small and actively growing.

ferti*ome® is a trademark of Voluntary Purchasing Groups, Inc.



230 FM 87

BONHAM, TEXAS 75418
EPA Reg. No. 279-3354-7401
EPA Est. No. 7401-TX-01

Product Questions? 855-270-4776

©Voluntary Purchasing Groups, Inc. All Rights Reserved

512258B-1

