

Hi-Yield[®]

Grass Killer

Postemergence Grass Herbicide

- Systemic Selective Herbicide Kills Weedy Grasses Without Injuring Desirable Plants
- Controls: Bermudagrass, Crabgrass, Foxtails, Quackgrass And many other Weedy Grasses
- Concentrate Makes 8 Gallons of Spray Solution

ACTIVE INGREDIENT:

Sethoxydim: 2-[1(ethoxyimino)butyl]-
5-[2-(ethylthio)propyl]-3-hydroxy-2-
cyclohexen-1-one* 18.0%

OTHER INGREDIENTS: 82.0%

TOTAL: 100.0%

*Equivalent to 1.5 lbs sethoxydim per gallon.

KEEP OUT OF REACH OF CHILDREN WARNING

See The Attached Booklet For Complete
Precautionary Statements, Directions For
Use, First Aid, Conditions Of Sale And
Warranty, and state-specific crop and/or
use site restrictions.


NET CONTENTS (8 FL. OZS.)

FIRST AID

If in Eyes	<ul style="list-style-type: none"> • Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. • Remove contact lenses, if present, after first 5 minutes; then continue rinsing eyes. • Call a Poison Control Center or doctor for treatment advice.
If on Skin or Clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a Poison Control Center or doctor for treatment advice.
If Swallowed	<ul style="list-style-type: none"> • Call a Poison Control Center or doctor immediately for treatment advice. • DO NOT give any liquid to the person. • DO NOT induce vomiting unless told to do so by a Poison Control Center or doctor. • DO NOT give anything by mouth to an unconscious person.
If Inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably by mouth to mouth, if possible. • Call a poison control center or doctor for further treatment advice.

HOTLINE NUMBER

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

In the event of a medical or chemical emergency,  contact North America 1-800-255-3924 or Worldwide Intl. + 01- 813-248-0585

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

Manufactured For:



230 FM 87 • BONHAM, TEXAS 75418

EPA Reg. No. 7969-58-7401 • EPA Est. No. 7401-TX-01 • NVA: 2014-04-025-0032
Visit Us At: www.hi-yield.com • Product Questions? 855-270-4776

Intended for residential use on and around:

Flowers

Trees

Ornamental-

Evergreens

Fruits*

Groundcovers

Shrubs

Vegetables*

Bedding Plants

*See Table 2. Fruits and Vegetables for specific crops.

Manufactured For:



230 FM 87 • BONHAM, TX 75418

EPA Reg. No. 7969-58-7401

EPA Est. No. 7401-TX-01

NVA 2014-04-025-0032

Visit Us At: www.hi-yield.com

Product Questions? 855-270-4776

31134-0915-CL



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Causes skin irritation. Harmful if absorbed through skin or swallowed. **DO NOT** get in eyes, on skin, or on clothing. Wear long-sleeved shirt, long pants, chemical-resistant gloves made of any waterproof material, protective eyewear, shoes, and socks. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

RE-ENTRY STATEMENT

DO NOT allow people or pets to come into contact with treated areas until spray has dried.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms. To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

ENDANGERED SPECIES CONCERNS

The use of any pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of federal law.

PHYSICAL AND CHEMICAL HAZARDS

COMBUSTIBLE. DO NOT use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with this labeling.

READ ENTIRE LABEL BEFORE USING THIS PRODUCT.

This product is a selective systemic grass killer to eliminate existing weedy grasses growing in and around plant beds, landscapes, and individual shrubs, and trees (See **Tolerant Plants**). This product can be used through a hose-end sprayer according to the directions of the sprayer used or through a tank-type sprayer. This product can also be used around listed fruit and vegetable areas (see **Table 2**) wherever listed weedy grasses occur. Use only tank-type sprayers.

WEEDY GRASSES CONTROLLED

This product kills most annual and hard-to-kill perennial grasses up to 1 foot high, including the following examples, in one or two applications. Younger, actively growing seedling weeds are more easily killed than older, mature, well-established grassy weeds that may require a repeat application for control. Adding oil concentrate may help control grassy weeds.

WEEDY GRASSES CONTROLLED (Continued)

Barnyardgrass	Jungerice
Bermudagrass	Lovegrass
Broadleaf Signalgrass	Orchardgrass, Seedling
Crabgrass, Large	Quackgrass
Crabgrass, Smooth	Tall Fescue Seedling
Fall Panicum	Texas Panicum
Foxtail, Giant	Shattercane/Wildcane
Foxtail, Green	Wild Proso Millet
Foxtail, Yellow	Wirestem Muhly
Goosegrass	Witchgrass
Johnsongrass, Seedling	Woolly Cupgrass
Johnsongrass, Rhizome	

Note: This product does not control sedge (including Nutsedge or Nutgrass), Annual Bluegrass, or broadleaf weeds. Red Fescue, Chewings Fescue, Hard Fescue, and Dichondra Turfs are also tolerant to this product.

APPLICATION TIMING

Apply when grassy weeds are actively growing, not exceeding the minimum of days from application to harvest when used on vegetables and fruits. Warm sunny weather will accelerate systemic movement from leaves and stems down to the roots to give complete kill. **DO NOT** mow or cut off tops of weeds before spraying. **DO NOT** apply if rainfall is expected within one hour following application. Growth of treated grass stops soon after application. Grass turns yellow and dies within one to three weeks depending on the grass species, stage of growth and weather conditions. Cool weather, drought, and heat stress slow activity.

TABLE 1. Hi-Yield® Grass Killer Postemergence Grass Herbicide (Concentrate) and Oil Concentrate Dilution

Water (gals)	Hi-Yield® Grass Killer Postemergence Grass Herbicide		Oil Concentrate*		Cover- age (sq ft)
	Fluid Ounces	Tbsp.	Fluid Ounces	Tbsp.	
	1	1	2	1	
3	3	6	3	6	5,400
5	5	10	5	10	9,000
8	8	16	8	16	14,400

One gallon of spray will treat 1,800 square feet.

*To prevent leaf burn of desirable plants, **DO NOT** use oil concentrate when comfort index (temperature °F + humidity) exceeds 150.

HOSE-END SPRAYER APPLICATION

Water Dilution/Premixing Not Needed. Determine the area to treat in square feet. Pour 1 fluid ounce of this product and 1 fluid ounce oil concentrate in the hose-end sprayer bottle for each 1,800 square feet treated. Apply 1 fluid ounce per gallon. After application, wash the sprayer with a dilute soap solution and rinse according to the sprayer instructions.

Water Dilution/Premixing Needed. Some hose-end applicators recommend premixing liquid products with water before pouring into the sprayer bottle. Read the hose-end sprayer instructions for treatments at 1 fluid ounce per 1,800 square feet. Clean the sprayer after use according to the sprayer instructions.

TANK SPRAYER APPLICATION

Mix 1 fluid ounce of this product plus 1 fluid ounce oil concentrate per 1 gallon water; spray to just wet the unwanted weedy grasses. One gallon of spray will treat 1,800 square feet. Wash sprayer by flushing soapy water through the sprayer; then flushing clean water through the sprayer.

Important:

For spot treating grassy weeds near lawns and around sensitive plants, a tank-type sprayer is recommended. Spray carefully to avoid spray or drift contact with desirable plants. If drift occurs, wash foliage immediately with water.

FLOWERS, BEDDING PLANTS, EVERGREENS SHRUBS, TREES AND ORNAMENTAL GROUNDCOVERS

This product may be applied over the top of desirable plants infested by weedy grasses, or as a directed spray to weedy grasses at the labeled rate. **DO NOT** exceed dosage rate per gallon of spray. Most ornamental species tested have been found tolerant to this product (see **Tolerant Plants** list). However, use with caution around the following plants as they may be damaged if spray contacts foliage: Azaleas (var. Snow), Japanese Privet, Potentilla, Snow in Summer, Red Oak, White Oak and ornamental grass.

This product may also be used on the following nonbearing food plants. **DO NOT** apply within 1 year of harvest.

Avocados	Dates	Figs	Olives
Plums	Pomegranates	Prunes	

FRUITS AND VEGETABLES (use only with tank-type sprayers)

Use this product on the fruits and vegetables listed in **Table 2. Fruits and Vegetables**. **DO NOT** apply on or around any fruits and vegetables not listed on this label, especially Sweet Corn. **Apply on and around tolerant fruits and vegetables with a tank-type sprayer only**. A second application may be made to all listed fruits and vegetables except Peanut, Root Vegetables, and Strawberry.

The quantities presented in **Table 1. Hi-Yield® Grass Killer Postemergence Grass Herbicide** do not exceed the registered rates for the fruits and vegetables listed. **DO NOT** exceed the quantities presented.

STORAGE AND DISPOSAL

PESTICIDE STORAGE

DO NOT allow this product to freeze. **DO NOT** store below 32° F or above 100° F. Store unused product in original container only, out of reach of children and animals. **NEVER TRANSFER THIS PRODUCT TO ANOTHER CONTAINER FOR STORAGE.**

Pesticide Disposal and Container Handling

Nonrefillable Container. DO NOT reuse or refill this container.

If empty: Place in trash or offer for recycling, if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTE: Buyer assumes all risks of use, storage, or handling of this product not in strict accordance with directions given herewith. Voluntary Purchasing Groups, Inc. warrants this product to conform to the chemical description on the label and for the purposes stated on the label.

The limit of any liability incurred shall be the purchase price paid by the User or Buyer.

TABLE 2. FRUITS AND VEGETABLES

CROP	MINIMUM TIME FROM LAST APPLICATION TO HARVEST (days)
Apple	14
Apricot	25
Artichoke (California only)	7
Asparagus	1
Beans (Green)	15
Beans (Dry)	30
Beet (Garden)	60
Blackberry	45
Blueberry ¹	30
Broccoli	30
Cabbage	30
Cantaloupe	14
Carrots	30
Cauliflower	30
Celery	30
Cherries (Sweet and Sour)	25
Citrus	15
Crabapple	14
Cranberries ¹	60

TABLE 2. FRUITS AND VEGETABLES (continued)

CROP	MINIMUM TIME FROM LAST APPLICATION TO HARVEST (days)
Cucumber	14
Dill ¹	14
Eggplant	20
Endive (Florida only)	15
Grape	50
Horseradish	60
Lentils ¹	50
Lettuce, head	30
Lettuce, leaf	15
Loganberry	45
Mint	20
Muskmelon	14
Nectarine	25
Okra ¹	14
Onion, Garlic	30
Peach	25
Peanut ²	40
Pear	14
Peas (Green)	15
Peas (Dry)	30
Pepper	20
Potato	30
Pumpkin	14

TABLE 2. FRUITS AND VEGETABLES (continued)

CROP	MINIMUM TIME FROM LAST APPLICATION TO HARVEST (days)
Quince	14
Raspberry	45
Root Vegetables ^{1, 2} (except sugar beet) Black salsify Celeriac Chervil, turnip-rooted Chicory Edible burdock Ginseng Oriental radish Parsley, turnip-rooted Parsnip Radish Rutabaga Salsify Skirret Spanish salsify Turnip	14
Spinach	15
Squash (all)	14
Strawberry ²	7
Tomato	20
Tree Nuts	15
Watermelon	14

¹Not for use in California

²Use no more than one application per season. Up to two applications per season may be made on all other plants.

TOLERANT PLANTS

Trees - Common Name (Scientific Name)

Acacia, knife leaf (<i>Acacia cultriformis</i>)	Birch, paper (<i>Betula papyrifera</i>)	Crabapple, flowering
Arborvitae, Eastern (var. <i>Teehny</i>) (<i>Thuja occidentalis</i>)	Birch, river, black or red (<i>Betula nigra</i>) Black locust (<i>Robinia pseudo- acacia</i>)	(var. <i>Dalgo</i> , <i>Radiant</i> , <i>Red splendor</i> , <i>Royalty</i> , <i>Vanguard</i> , <i>Sylvestris</i> , Domestic) (<i>Malus</i> sp.)
Arborvitae, Berk- man's, Oriental (<i>Thuja orientalis</i>)	Bottle-brush (<i>Callistemon lanceolatus</i>)	Cypress, false (<i>Chamaecyparis pisifera</i>)
(<i>Platyclusus orientalis</i>)	(<i>Callistemon citrinus</i>)	Cypress, Italian (<i>Cupressus semper- virens</i>)
Ash, green (<i>Fraxinus pennsylvan- icum</i>)	Bottle tree (<i>Brachychiton populneus</i>)	Cypress, leyland (<i>Cupressocyparis leylandii</i>)
Ash, mountain (<i>Sorbus aucuparia</i>)	Brisbane box tree (<i>Tristania conferta</i>)	Dogwood, flowering (<i>Cornus florida</i>)
Ash, mountain (<i>Sorbus americana decora</i>)	Cajeput tree (<i>Melaleuca quinque- nervia</i>)	Dogwood, pagoda (<i>Cornus alternifolia</i>)
Ash, white (<i>Fraxinus americana</i>)	Carob tree (<i>Ceratonia siliqua</i>)	Dogwood, silky (<i>Cornus amomum</i>)
Basswood, American (<i>Tilia americana</i>)	Carrot wood (<i>Cupaniopsis anacardioides</i>)	Elm, Chinese evergreen (<i>Ulmus parvifolia</i>)
Berkman's, Oriental (<i>Thuja orientalis</i>)	Catalpa, Southern (<i>Catalpa bignonioides</i>)	Eucalyptus (<i>Eucalyptus robusta</i> , <i>E. lehmannii</i> , <i>E. nicholii</i> , <i>E. grandis</i>)
Birch (<i>Betula</i> sp.)	Cherry, black (<i>Prunus serotina</i>)	Fir (<i>Abies</i> sp.)
Birch, Asian white (var. <i>Japonica</i>) (<i>Betula platyphylla</i>)	Cherry, Carolina (<i>Prunus caroliniana</i> 'compacta')	
Birch, European white (<i>Betula pendula</i>)		

TOLERANT PLANTS

Trees - Common Name (Scientific Name) *continued*

Fir, Douglas (<i>Pseudotsuga menziesii</i>)	Holly, Chinese (var. <i>Burfordii</i> , Rotunda) (<i>Ilex cornuta</i>)	Linden, littleleaf (<i>Tilia cordata</i>)
Fir, Frasier (<i>Abies fraseri</i>)	Holly, hybrid (var. <i>Nellie Stevens</i>) (<i>Ilex spares</i>)	Locust, honey (<i>Gleditsia triacanthos inermis</i>)
Fir, white (<i>Abies concolor</i>)	Holly, Japanese (var. <i>convexa</i> , <i>compacta</i> , <i>helleri</i> , <i>hoogendorn</i>) (<i>Ilex crenata</i>)	Loquat (<i>Eriobotrya japonica</i>)
Goldenrain tree (<i>Koelreuteria paniculata</i>)	Holly, yaupon (<i>Ilex vomitoria</i>)	Magnolia, Southern (<i>Magnolia grandiflora</i>)
Guava (<i>Psidium littorale</i>)	Ironbark, red (<i>Eucalyptus sideroxylon</i>)	Maple, Japanese (<i>Acer palmatum</i>)
Guava, pineapple (<i>Feijoa sellowiana</i>)	Jacaranda (<i>Jacaranda mimosifolia</i>)	Maple, red (<i>Acer rubrum</i>)
Gum, blue (<i>Eucalyptus globulus</i>)	Kentucky coffee tree (<i>Gymnocladus dioicus</i>)	Maple, silver (<i>Acer saccharinum</i>)
Gum, lemon-scented (<i>Corymbia citriodora</i>) (<i>Eucalyptus citriodora</i>)	Larch, European (<i>Larix europae</i>)	Mimosa tree (<i>Albizia julibrissin</i>)
Gum, red box (<i>Eucalyptus polyanthemus</i>)	Laurel, Indian (<i>Ficus microcarpa nitida</i>)	Myoporum (<i>Myoporum laetum</i>)
Hackberry, common (<i>Celtis occidentalis</i>)	Linden (<i>Tilia americana</i>)	New Zealand Christmas tree (<i>Metrosideros excelsus</i>)
Hemlock, Canadian (<i>Tsuga canadensis</i>)		Oak (<i>Quercus sp.</i>)
		Oak, water (<i>Quercus nigra</i>)
		Oak, willow (<i>Quercus phellos</i>)

TOLERANT PLANTS

Trees - Common Name (Scientific Name) *continued*

Olive Tree (<i>Olea europaea</i>)	Pear, Ussurian (<i>Pyrus ussuriensis</i>)	Pine, shore (<i>Pinus contra</i>)
Olive, Russian (<i>Elaeagnus angustifolia</i>)	Pepper, Brazilian (<i>Schinus terebinthifolius</i>)	Pine, slash (<i>Pinus elliottii</i>)
Orchid tree, purple (<i>Bauhinia variegata</i>)	Pine, Aleppo (<i>Pinus halepensis</i>)	Pine, Southern (<i>Pinus palustris</i>)
Osage orange (<i>Maclura pomifera</i>)	Pine, Austrian (<i>Pinus nigra</i>)	Pine, Virginia (<i>Pinus virginiana</i>)
Palm, Mediterranean fan (<i>Chamaerops humilis</i>)	Pine, Canary Island (<i>Pinus canariensis</i>)	Pine, Western yellow (<i>Pinus ponderosa</i>)
Palm, pygmy date (<i>Phoenix roebelenii</i>)	Pine, Caribbean slash (<i>Pinus caribaea</i>)	Pine, white (<i>Pinus parviflora</i>)
Palm, queen (<i>Arecastum romanzoffianum</i>)	Pine, Italian stone (<i>Pinus pinea</i>)	Pine, white (<i>Pinus strobus</i>)
Palm, sago (<i>Cycas revoluta</i>)	Pine, jack (<i>Pinus banksiana</i>)	Pine, yew (<i>Podocarpus macrophyllus</i>)
Palm, windmill (<i>Tracheocarpus fortunei</i>)	Pine, Japanese (<i>Pinus parviflora</i>)	Plum, wild (<i>Prunus americana</i>)
Palo verde, green (<i>Parkinsonia aculeata</i>)	Pine, Japanese black (<i>Pinus thunbergii</i>)	Poplar, hybrid (<i>Populus alba</i>)
Paulownia royal (<i>Paulownia tomentosa</i>)	Pine, loblolly (<i>Pinus taeda</i>)	Popular, tuliptree (<i>Liriodendron tulipifera</i>)
Pear, common (<i>Pyrus communis</i>)	Pine, Mugo (<i>Pinus mugo</i>)	Popular, yellow (<i>Liriodendron tulipifera</i>)
Pear, evergreen (<i>Pyrus kawakamii</i>)	Pine, ponderosa (<i>Pinus ponderosa</i>)	Purpleleaf, Bailey acacia (<i>Acacia baileyana</i>)
	Pine, red (<i>Pinus resinosa</i>)	Redwood, coast (<i>Sequoia sempervirens</i>)
	Pine, Scotch (<i>Pinus sylvestris</i>)	

TOLERANT PLANTS

Trees - Common Name (Scientific Name) *continued*

Sandcherry, Western (<i>Prunus besseyi</i>)	Strawberry tree (<i>Arbutus unedo</i>)	Weeping fig, exotica (<i>Ficus benjamina</i>)
Sensitive plant (<i>Mimosa pudica</i>)	Sumac, African (<i>Rhus lancea</i>)	Willow (<i>Salix matsudana</i>)
Silktree (<i>Albizia julibrissin</i>)	Sumac, standard (<i>Rhus lancea</i>)	(<i>tortuosa</i>)
Spruce, Black Hills (var. <i>Densata</i>) (<i>Picea</i> <i>glauca</i>)	Sweetgum (<i>Liquidambar</i> <i>stryaciflua</i>)	Willow, Australian (<i>Geijera parviflora</i>)
Spruce, Colorado blue (<i>Picea pungens</i>)	Sycamore (<i>Platanus occidentalis</i>)	Willow, desert (<i>Pittosporum</i> <i>phillyreoides</i>)
Spruce, Norway (<i>Picea abies</i>)	Teatree, Australian (<i>Leptospermum</i> <i>laevigatum</i>)	Willow, peppermint (<i>Agonis flexuosa</i>)
Spruce, white (<i>Picea glauca</i>)	Tipu tree (<i>Tipuana tipu</i>)	Yate, bushy (<i>Eucalyptus lehmannii</i>)
	Walnut, black (<i>Juglans nigra</i>)	Yew, English (<i>Taxus baccata</i>)

TOLERANT PLANTS

Shrubs - Common Name (Scientific Name)

Abelia, glossy (<i>Abelia grandiflora</i>)	Barberry, redleaf (<i>Berberis virginiana</i>)	Cherry, Nanking (<i>Prunus tomentosa</i>)
Acacia, Bailey (<i>Acacia baileyana</i>)	Bird of paradise bush (<i>Caesalpinia gilliesii</i>)	Chokecherry sp. (<i>Aronia meloelata</i>)
Acacia, knife leaf (<i>Acacia cultriformis</i>)	Bluebeard (<i>Caryopteris clandonensis</i>)	Copper plant, Caribbean (<i>Euphorbia cotinifolia</i>)
Acacia, prostrate (<i>Acacia redolens</i>)	Boxwood, African (<i>Myrsine africana</i>)	Cotoneaster, bearberry (<i>Cotoneaster dammeri</i>)
Acacia, Sydney golden wattle (<i>Acacia longifolia</i>)	Boxwood, common (<i>Buxus sempervirens</i>)	Cotoneaster, cranberry (<i>Cotoneaster apiculata</i>)
Andromeda (<i>Pieris japonica</i>)	Boxwood, Japanese (var. <i>Japonica</i>) (<i>Buxus microphylla</i>)	Cotoneaster, 'lowfast' Peking (<i>Cotoneaster acutifolius</i>)
Arborvitae, Oriental (<i>Platycladus orientalis</i>)	Buckthorn, alder (<i>Rhamnus frangula</i>)	Coyote bush (<i>Baccharis pilularis</i>)
Arrowwood, Southern (<i>Viburnum dentatum</i>)	Buckthorn, glossy (<i>Rhamnus frangula</i>)	Cranberry bush, American (<i>Viburnum trilobum</i>)
Azalea, mollis hybrid (<i>R. x kosterianum</i>)	Camellia (<i>Camellia japonica</i>)	Cranberry bush, golden (<i>Viburnum opulus aureum</i>)
Azalea, Northern lights hybrid (<i>R. x kosterianum x R. prinophyllum</i>)	(<i>Camellia sasanqua</i>) Cedar (<i>Juniperus virginiana</i>)	Crape myrtle (<i>Lagerstromia indica</i>)
Bamboo, heavenly (<i>Nandina domestica</i>)	Cedar, Eastern red (var. <i>Pyramidiformis</i> , <i>caneartl</i>)	
Barberry, Japanese (<i>Berberis thunbergii</i>)	Cherry, brush (<i>Eugenia myrtifolia</i>)	
Barberry, Korean (<i>Berberis koreana</i>)	Cherry, Manchu (<i>Prunus tomentosa</i>)	

TOLERANT PLANTS

Shrubs - Common Name (Scientific Name) *continued*

Currant, alpine (<i>Ribes alpinum</i>)	Gardenia (var. <i>Mystery</i> , <i>Radicans</i>) (<i>Gardenia augusta</i>)	Jasmine, Asiatic (<i>Trachelospermum asiaticum</i>)
Dogwood, red osier (<i>Cornus stolonifera</i>)	(<i>Gardenia jasmi- noides</i>)	Jasmine, orange (<i>Murraya paniculata</i>)
Elaeagnus (<i>Elaeagnus umbellata</i>)	Gardenia, dwarf (var. <i>Veitchii</i>) (<i>Garde- nia jasminoides</i>)	Jasmine, star (<i>Trachelospermum jasminoides</i>)
Escallonia (<i>Escallonia fradesii</i>)	Gold vine, Guinea (<i>Hibbertia scandens</i>)	Jasmine, winter (<i>Jasminum nudiflorum</i>)
Euonymus (<i>Euonymus japonica</i>)	Hakea (<i>Hakea proteacea</i>)	Jessamine, Carolina (<i>Gelsemium sempervirens</i>)
Euonymus, evergreen (var. Golden, Silver king)	Hawthorn, Indian (<i>Raphiolepis indica</i>)	Jojoba (<i>Simmondsia chinensis</i>)
Euonymus, winged (<i>Euonymus alata</i>)	Hibiscus, blue (<i>Alyogyne huegelli</i>)	Juniper, Chinese (var. <i>Maneyi</i> , Old gold, <i>Pfitzeriana</i> , Sea green, <i>Hekii</i> , Nana, <i>Torulosa</i> , <i>Pfitzeriana Aurea</i> , <i>Pfitzer</i> , Golden <i>Pfitzer</i>) (<i>Juniperus chinensis</i>)
Fig, creeping (<i>Ficus repens</i>)	Hibiscus, Chinese (<i>Hibiscus rosa- sinensis</i>)	
Firethorn (<i>Pyracantha graben</i>)	Holly, dwarf Burford (var. <i>Burfordii Nana</i>) (<i>Ilex cornuta</i>)	
Forsythia, greenstem (<i>Forsythia viridissima braxensis</i>)	Honeysuckle, bush (<i>Diervilla lonicera</i>)	
Flax, New Zealand (<i>Phormium tenax</i>)	Honeysuckle, cape (<i>Tecomaria capensis</i>)	
Fuchsia, Australian (<i>Correa pulchella</i>)	Hydrangea (<i>Hydrangea mac- rophylla</i>)	

TOLERANT PLANTS

Shrubs - Common Name (Scientific Name) *continued*

<p>Juniper, creeping (var. Bluechip, Hughes, Plumosa, Prince of Wales, Webberi, Wiltonii, Bar Harbor, An- dorra, Variegata, Youngstown blue rug) (<i>Juniperus horizontalis</i>)</p> <p>Juniper, Ozark (<i>Juniperus sp.</i>)</p> <p>Juniper, Rocky Mountain (var. Blue heaven, Welchii, Wichita blue, Medova, Moffet, Pyramidal green, Springtime, Admiral) (<i>Juniperus scopu- lorum</i>)</p> <p>Juniper, savin (var. Skandia, Ar- cadia, Broadmoor, Buffalo, Pepin) (<i>Juniperus sabina</i>)</p> <p>Juniper, shore (var. Compacta) (<i>Juniperus conferta</i>)</p>	<p>Juniper, tam (var. Tamariscifolia) (<i>Juniperus sabina</i>)</p> <p>Lantana, purple trailing (<i>Lantana monte- densis</i>)</p> <p>Laurustinus (<i>Viburnum tinus</i>)</p> <p>Lemonade sumac (<i>Rhus integrifolia</i>)</p> <p>Lilac, common purple (<i>Syringa vulgaris purpurea</i>)</p> <p>Liriope, green (<i>Liriope muscan</i>)</p> <p>Liriope, variegated (<i>Liriope muscan</i>)</p> <p>Mickey Mouse bush (<i>Ochna serrulata</i>)</p> <p>Mirror plant, creeping (<i>Coprosma repens</i>)</p> <p>Mock orange (<i>Pittosporum tobira</i>)</p> <p>Mountain lilac, Carmel creeper (<i>Ceanothus griseus</i>)</p>	<p>Myrtle, dwarf (<i>Myrtus communis compacta</i>)</p> <p>Nandina, heavenly bamboo (<i>Nandina domestica</i>)</p> <p>Nannyberry (<i>Viburnum lantago</i>)</p> <p>Ninebark (<i>Physocarpus opuli- folius</i>) (var. Aureus)</p> <p>(<i>Physocarpus opulifolius</i> var. <i>opulifolius</i>)</p> <p>Oleander (<i>Nerium oleander</i>)</p> <p>Orchid, rockrose (<i>Cistus purpureus</i>)</p> <p>Oregon grape (<i>Mahonia aquifolium</i>)</p> <p>Osmanthus, holly-leaf (<i>Osmanthus hetero- phyllus</i>)</p> <p>Osmanthus, sweet olive (<i>Osmanthus fragrans</i>)</p> <p>Palm, natal (var. Green carpet tuttle) (<i>Carissa grandiflora</i>)</p>
---	---	--

TOLERANT PLANTS

Shrubs - Common Name (Scientific Name) *continued*

Pampas grass (<i>Cortaderia selloana</i>)	Privet, waxleaf (<i>Ligustrum japonicum</i>)	Sky flower, Brazilian (<i>Duranta stenostachya</i>)
Photinia (<i>Photinia sp.</i>)	Purple hop bush (<i>Dodonaea viscosa</i>)	Snowball bush (<i>Viburnum opulus sterilis</i>)
Photinia, Fraser (<i>Photinia fraser</i>)	Pyracantha (<i>Pyracantha graber</i>)	Spindle tree (<i>Euonymus kiautschovica</i>)
Pinklady (<i>Rhaphiolepis indica</i>)	Rhododendron sp. (<i>Rhododendron - Azalea</i>)	Spiraea (<i>Spiraea vanhouttei</i>)
Pink powder puff (<i>Calliandra haematocephala</i>)	(var. Hinocrimson, Hershey red, Coral blue, Hinodigiri, Christmas cheer, Pink ruffle, Formosa flame, Delaware Valley white, New white)	(var. Anthony Waterer, Froebellii, Goldflame) (<i>Spiraea bumalda</i>) (var. Fairy Queen) (<i>Spiraea trilobataioivica</i>) (var. Snowbound) (<i>Spiraea nipponicaioivica</i>)
Pittosporum, variegated Japanese (<i>Pittosporum tobira variegata</i>)	Sandcherry, purpleleaf (<i>Prunus cistena</i>)	Star plant, lavender (<i>Grewia occidentalis</i>)
Plumbago, cape (<i>Plumbago capensis</i>)	Serviceberry, Allegheny (<i>Amelanchier laevis</i>)	Teatree, Australian (<i>Leptospermum laevigatum</i>)
Podocarpus, yew (<i>Podocarpus macrophyllus</i>)	Serviceberry, Saskatoon (var. Regent) (<i>Amelanchier alnifolia</i>)	Teatree, New Zealand (var. Red glow) (<i>Leptospermum scoparium</i>)
Princess flower (<i>Tibouchina urvilleana</i>)	Silver king (<i>Euonymus japonica</i>)	
Privet (<i>Ligustrum indica</i>)		
Privet, glossy (var. Lake Tresca) (<i>Ligustrum lucidum</i>)		
Privet, Japanese (<i>Ligustrum japonicum</i>)		
Privet, Texas (<i>Ligustrum texanum</i>)		

TOLERANT PLANTS

Shrubs - Common Name (Scientific Name) *continued*

Texas ranger (<i>Leucophyllum frutescens</i>) Toyon, California holly (<i>Heteromeles arbutifolia</i>) Trumpet vine, pink (<i>Pandorea rosea</i>) Veronica (<i>Hebe 'Coed'</i>)	Viburnum, Japanese (<i>Viburnum japonicum</i>) Viburnum, Sandankwa (<i>Viburnum suspensum</i>) Wayfaring tree (<i>Viburnum lantanoides</i>) Weeping fig, exotica (<i>Ficus benjamina</i>)	Wheeler's dwarf, Variegated (var. Wheeler) (<i>Pittosporum tobira</i>) Yellow bells (<i>Tecoma stans</i>) Yesterday-today-and-tomorrow (<i>Brunfelsia calycina</i>) Yew (<i>Taxus cuspidata vigatum</i>)
--	---	--

TOLERANT PLANTS

Ornamentals & Bedding Plants Common Name (Scientific Name)

Alyssum (<i>Alyssum</i> sp.)	Black-eyed Susan (var. Goldilocks) (<i>Rudbeckia hirta</i>)	Coleus (<i>Coleus blumei</i>)
Asparagus, Myers (var. Meyeri) (<i>Asparagus densiflorus</i>)	Bleeding heart (<i>Dicentra spectabilis</i>)	Coneflower, purple (var. Gloriosa Dairy) (<i>Echinacea purpurea</i>)
Asparagus, Sprenger's (var. Sprengeri) (<i>Asparagus densiflorus</i>)	Butterfly weed (<i>Asclepias tuberosa</i>)	Coralbells (<i>Heuchera sanguinea</i>)
Aster, New York (<i>Aster novi-belgii</i>)	Bower vine (<i>Pandorea jasminoides</i>)	Coreopsis (var. Sunray) (<i>Coreopsis lanceolata</i>)
Aster, Stokes (var. Blue, White) (<i>Stokesia cyanaea</i>)	Cactus, barrel (<i>Echinocactus</i> sp.)	Cup of gold vine (<i>Solandra maxima</i>)
Baby's breath (var. Bristo fairy) (<i>Gypsophila paniculata</i>)	Candytuft (<i>Iberis sempervirens</i>)	Daffodil (<i>Narcissus</i> spp.)
Begonia (<i>Begonia semper- florens</i>)	(<i>Iberis amara</i>)	Dahlia (<i>Dahlia pinnata</i>)
Bellflower, Tussock (var. Canterbury bells) (<i>Campanula carpatica</i>)	Canna (<i>Canna</i> sp.)	Daisy bush (<i>Euryops pectinatus</i>)
Bittersweet, American (<i>Celastrus scandens</i>)	Cassia, feathery (<i>Cassia artemisioides</i>)	Daisy bush, blue (<i>Felicia amellioides</i>)
	Chrysanthemum, Marguerite (<i>Chrysanthemum frutescens</i>) (<i>Chrysan- themum indicum</i>)	Daisy, Shasta (var. Alaska) (<i>Chrysanthemum maximum</i>)
	Cockscomb (<i>Celosia argentea</i>)	Daylily (<i>Hemerocallis hybrids</i>)
	(<i>Canna</i>)	

TOLERANT PLANTS *(continued)*

Ornamentals & Bedding Plants

Common Name (Scientific Name) *continued*

Dianthus (<i>Dianthus deltoides</i>)	Gerbera daisy (<i>Gerbera jamesonii</i>)	Honeysuckle, tatarian
Dragonhead, false (<i>Physostegia virginiana</i>)	Geum (var. Lady Strathedon, Mrs.)	(var. Zabeli) (<i>Lonicera tatarica</i>)
Dusty Miller (<i>Centaurea cineraria</i>)	Bradshaw, Mrs. Bradshaw Improved) (<i>Geum quellyon</i>)	Hopseed bush, purple (var. Purpurea) (<i>Dodonaea viscosa</i>)
Fern, Sprenger's asparagus (<i>Asparagus densiflorus sprengeri</i>)	Gladiolus (<i>Gladiolus sp.</i>)	Impatiens (<i>Impatiens sp.</i>)
Fescue, blue (<i>Festuca ovina</i>)	Heather, false (<i>Cuphea hys-sopifolia</i>)	Iris (<i>Iris sp.</i>)
Flowering tobacco (<i>Nicotiana sp.</i>)	Honeysuckle, Amar (<i>Lonicera maackii</i>)	Iris, African (<i>Dietes bicolor</i>)
Fountaingrass, red (<i>Pennisetum setaceum</i>)	Honeysuckle, fly (var. Emerald Mound, Clavey's Dwarf) (<i>Lonicera xylosteum</i>)	Ivy, grape (var. Ellen Danica) (<i>Cissus rhombifolia</i>)
Gazania (<i>Gazania ringens leucolaena</i>) (<i>Gazania sp.</i>)	Honeysuckle, Japanese (<i>Lonicera japonica</i>)	Jack-in-the-pulpit (var. Emerald (Mrs. Bradshaw Improved) Jade plant (<i>Crassula argentea</i>)
Geranium (<i>Geranium sp.</i>)	Honeysuckle, morrow (<i>Lonicera morrowii</i>)	Jasmine, Madagascar (<i>Stephanotis floribunda</i>)
Geranium, Martha Washington (<i>Pelargonium domesticum</i>)		Lamb's ear (<i>Stachys lanata</i>)

TOLERANT PLANTS *(continued)*

Ornamentals & Bedding Plants

Common Name (Scientific Name) *continued*

Lavender, English (<i>Lavandula vera</i>)	Lobelia (<i>Lobelia erinus</i>)	Phlox, perennial (<i>Phlox paniculata</i>)
Lavender, French (<i>Lavandula dentata</i>)	Marigold (<i>Tagetes sp.</i>)	Plantain lily (<i>Hosta sp.</i>)
Lavender, cotton (<i>Santolina chamaecyparissus</i>)	Mirror plant (<i>Coprosma baueri</i>)	Purple loosestrife (var. Morden's Gleam) (<i>Lythrum virgatum</i>)
Lilac, Chinese (<i>Syringa chinensis</i>)	Mirror plant, variegated (<i>Coprosma repens</i>)	Raspberry ice (<i>Bougainvillea sp.</i>)
Lilac, common purple (var. Charles Joly, Ludwig Spaeth, Jay tree) (<i>Syringa vulgaris purpurea</i>)	Moneywort, creeping Jenny (<i>Lysimachia nummularia</i>)	Sage (<i>Salvia greggii</i>)
Lilac, Meyer (var. Palibin) (<i>Syringa sp.</i>)	Moss, rose (<i>Portulaca grandiflora</i>)	Sea pinks, thrift (<i>Armeria maritima</i>)
Lilac, Korean (var. Miss Kim) (<i>Syringa patula</i>)	Moss, sandwort (<i>Arenaria verna</i>)	Sedum, stonecrop (<i>Sedum x rubrotinctum</i>) (<i>Lavender cotton</i>)
Lilac, mountain (<i>Ceanothus griseus</i>)	Pansy, Johnny- jump-up (<i>Viola tricolor</i>)	Shrimpplant (<i>Justicia brandegeeana</i>)
Lily-of-the-Nile, Peter Pan (<i>Agapanthus africanus</i>)	Pepper, orna- mental (<i>Capsicum sp.</i>)	Sky flower, Brazilian (<i>Duranta stenostachya</i>)
Lily-of-the-valley (<i>Convallaria majalis</i>)	Periwinkle, Madagascar (<i>Catharanthus roseus</i>) (<i>Vinca minor</i>)	Snail vine (<i>Vigna caracalla</i>)
	Petunia (<i>Petunia sp.</i>)	Snapdragon (<i>Antirrhinum majus</i>)

TOLERANT PLANTS (continued)**Ornamentals & Bedding Plants****Common Name (Scientific Name) continued**

Speedwell, spike (<i>Veronica spicata</i>)	Trumpet vine, blood red (<i>Distictis buc- cinatoria</i>)	Wandering Jew (<i>Tradescantia sp.</i>)
Statice, perennial (<i>Limonium perezii</i>)	Trumpet vine, lavender (<i>Clytostoma cal- listegoides</i>)	Wisteria (<i>Wisteria sinensis</i>)
Stock (<i>Matthiola incana</i>)	Trumpet vine, pink (<i>Pandorea rosea</i>)	Yarrow (var. Cerise Queen) (<i>Achillea millefolium</i>)
Sweetgrass (<i>Acorus gramineus</i>)	Tulip (<i>Tulipa spp.</i>)	Yarrow, debutante (<i>Achillea taygetea v.</i>)
Sweet William (<i>Dianthus barbatus</i>)	Verbena (<i>Verbena sp.</i>)	Yellow trumpet (<i>Macfadyena unguis-cati</i>)
Transvaal daisy (<i>Gerbera jamesonii</i>)		Zinnia (<i>Zinnia elegans</i>)

TOLERANT PLANTS (continued)

Ground Covers - Common Name (Scientific Name)

Aaron's beard (<i>Hypericum calycinum</i>)	Daisy, white African (<i>Osteospermum fruticosum alba</i>)	(<i>Myoporum parvifolium</i>)
Aptenia (var. Red apple) (<i>Aptenia cordifolia</i>)	Gazania, trailing (<i>Gazania regens leucolaena</i>)	Pachysandra (<i>Pachysandra terminalis</i>)
Bergenia, winter-blooming (<i>Bergenia crassifolia</i>)	Green carpet (<i>Herniaria glabra</i>)	Periwinkle (<i>Vinca major</i>)
Bugleweed (<i>Ajuga reptans</i>)	Ivy, Algerian (<i>Hedera canariensis</i>)	Plumbago, dwarf (<i>Ceratostigma plumbaginoides</i>)
Capeweed (<i>Arctotheca calendula</i>)	Ivy, Boston (<i>Parthenocissus tricuspidata</i>)	Pork and beans (<i>Sedum rubrotinctum</i>)
Carpathian, harebell (<i>Campanula carpatica</i>)	Ivy, English (<i>Hedera helix</i>) (var. California)	Rosea ice plant (<i>Drosanthemum floribundum</i>)
Cinquefoil, spring (<i>Potentilla tabernaemontani</i>)	Ivy, grape (var. Ellen Danica) (<i>Cissus rhombifolia</i>)	Rosemary, dwarf (var. Prostratus) (<i>Rosmarinus officinalis</i>)
Coyotebrush (var. Twin Peaks) (<i>Baccharis pilularis</i>)	Ivy, Hahn's (var. Hahnii) (<i>Hedera helix</i>)	Rupture wort (<i>Herniaria glabra</i>)
Crownvetch (<i>Coronilla varia</i>)	Lantana, lavender (<i>Lantana montevidensis</i>)	St. Johnswort, creeping (<i>Hypericum calycinum</i>)
Cushion bush (<i>Calcephalus brownii</i>)	Lilyturf, big blue (<i>Liriope muscari</i>)	Stonecrop, sedum (<i>Sedum rubrotinctum</i>)
Daisy, Freeway (<i>Osteospermum</i>)	Lippla (<i>Phyla nodiflora</i>)	Verbena (<i>Verbena officinalis</i>)
Daisy, trailing African (<i>Osteospermum</i>)	Mondo grass (<i>Ophiopogon japonicus</i>)	Verbena, blue (<i>Verbena peruviana</i>)
	Myoporum (var. Prostratum)	

CONDITIONS OF SALE AND WARRANTY

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result, because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of Voluntary Purchasing Groups, Inc. (VPG) or the seller. To the extent consistent with applicable law, all such risks shall be assumed by the buyer.

VPG warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, VPG MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND VPG'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, VPG AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. VPG and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of VPG.

Page left blank intentionally.

Page left blank intentionally.